

Part name	Use for	Capacitance	Tolerance	Temp. Char.	Rated Voltage	Size code	Thickness Max	Feature
CL01Y105MR5NLN	General	1uF	+/-20%	X7S	4Vdc	0306inch_0816mm	0.55mm	Reverse(Low ESL)
CL02A102KP2NNN	General	1nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02A102KQ2NNN	General	1nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A102MQLHNN	General	1nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A103KP2NNN	General	10nF	+/-10%	X5R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02A103KQ2NNN	General	10nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104KQ2NNN	General	100nF	+/-10%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104MQ2NNN	General	100nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A104MR2NNN	General	100nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Normal
CL02A224MQ2NNN	General	220nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.22mm	Normal
CL02A224MR2NNN	General	220nF	+/-20%	X5R	4Vdc	01005inch_0402mm	0.22mm	Normal
CL02A510MQLHNN	General	51pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A681MQLHNN	General	680pF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02A682MQLHNN	General	6.8nF	+/-20%	X5R	6.3Vdc	01005inch_0402mm	0.11mm	LSC
CL02B101KP2NNN	General	100pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B102KP2NNN	General	1nF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B121KP2NNN	General	120pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B221KP2NNN	General	220pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B331KO2NNN	General	330pF	+/-10%	X7R	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02B331KP2NNN	General	330pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02B471KP2NNN	General	470pF	+/-10%	X7R	10Vdc	01005inch_0402mm	0.22mm	Normal
CL02C010BO2GNN	General	1pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C020BO2GNN	General	2pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C030BO2GNN	General	3pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C040BO2GNN	General	4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R3BO2GNN	General	0.3pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R4BO2GNN	General	0.4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R5BO2GNN	General	0.5pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C0R9BO2GNN	General	0.9pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R2BO2GNN	General	1.2pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R5BO2GNN	General	1.5pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R6BO2GNN	General	1.6pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R7BO2GNN	General	1.7pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C1R8BO2GNN	General	1.8pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C220GO2GNN	General	22pF	+/-2%	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C270JO2NNN	General	27pF	+/-5%	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C2R4BO2GNN	General	2.4pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C2R9BO2GNN	General	2.9pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C3R3CO2GNN	General	3.3pF	+/-0.25pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C5R6BO2GNN	General	5.6pF	+/-0.1pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL02C5R6CO2GNN	General	5.6pF	+/-0.25pF	C0G	16Vdc	01005inch_0402mm	0.22mm	Normal
CL03A103KA3NNN	General	10nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KP3NNN	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KP3NNW	General	10nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A103KQ3NNW	General	10nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KA3NNN	General	100nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KL3NNN	General	100nF	+/-10%	X5R	35Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KO3NNN	General	100nF	+/-10%	X5R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3NNN	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3NNW	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KP3ZNN	General	100nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Soft Termination(3mm)
CL03A104KQ3N3W	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KQ3NNN	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104KQ3NNW	General	100nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MA3NNN	General	100nF	+/-20%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MO3NNN	General	100nF	+/-20%	X5R	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MP3NNN	General	100nF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MP3NNW	General	100nF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03A104MQ3NNN	General	100nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03A105KP3NSN	General	1uF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.35mm	Normal
CL03A105KQ3CSN	General	1uF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal

CLO3A105MO3NRN	General	1uF	+/-20%	X5R	16Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A105MP3NSN	General	1uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.35mm	Normal
CLO3A105MP3ZSN	General	1uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.35mm	Soft Termination(3mm)
CLO3A105MQ3CNN	General	1uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A105MQ3CSN	General	1uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CLO3A105MR3CSN	General	1uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.35mm	Normal
CLO3A153KQ3NNN	General	15nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A222KP3NNW	General	2.2nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A223KA3NNN	General	22nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A223KQ3NNN	General	22nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A224KA3NRR	General	220nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A224KP3NNN	General	220nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A224KQ3NNN	General	220nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A224MQ3NNN	General	220nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A225MP3CRN	General	2.2uF	+/-20%	X5R	10Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A225MQ3CRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A225MQ3CSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CLO3A225MQ3ISN	General	2.2uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.35mm	Normal
CLO3A305MQ37RN	General	3uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A305MQ3CRN	General	3uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A334KA3NRR	General	330nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A405MR3CRN	General	4uF	+/-20%	X5R	4Vdc	0201inch_0603mm	0.39mm	Normal
CLO3A472KA3NNN	General	4.7nF	+/-10%	X5R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A472KP3NNN	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A472KP3NNW	General	4.7nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A473KP3NNN	General	47nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A473KQ3NNN	General	47nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A474KP3NNN	General	470nF	+/-10%	X5R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A474KQ3NNN	General	470nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A474MQ3NNN	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A474MQ3NNW	General	470nF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3A475MQ5C65	General	4.7uF	+/-20%	X5R	6.3Vdc	0201inch_0603mm	0.55mm	Normal
CLO3A683KQ3NNN	General	68nF	+/-10%	X5R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B102JA3NNN	General	1nF	+/-5%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B102KA3NNN	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B102KA3NNW	General	1nF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B102KO3NNN	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B102KO3NNW	General	1nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B103KO3NNW	General	10nF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B103KP3NNN	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B103KP3NNW	General	10nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B103KQ3NNN	General	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B103KQ3NNW	General	10nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B104KP3N4N	General	100nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B104KP3NNW	General	100nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B151KA3NNN	General	150pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B151KO3NNN	General	150pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B152KP3NNN	General	1.5nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B221KA3NNN	General	220pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B221KO3NNN	General	220pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B271KO3NNN	General	270pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B331KA3NNN	General	330pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B332KP3NNN	General	3.3nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B471KA3NNN	General	470pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B471KO3NNN	General	470pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B472KQ3NNN	General	4.7nF	+/-10%	X7R	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B561KO3NNN	General	560pF	+/-10%	X7R	16Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B681KA3NNN	General	680pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B681KA3NNW	General	680pF	+/-10%	X7R	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3B682KP3NNN	General	6.8nF	+/-10%	X7R	10Vdc	0201inch_0603mm	0.33mm	Normal
CLO3C010BA3GNN	General	1pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3C010BB3GNN	General	1pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CLO3C010CA3GNN	General	1pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CLO3C020BA3GNN	General	2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal



CL03C330JB3NNN	General	33pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C330JB3NNW	General	33pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C390JA3NNN	General	39pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R3BB3GNN	General	3.3pF	+/-0.1pF	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R6BA3GNN	General	3.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R6CA3GNN	General	3.6pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C3R9BA3GNN	General	3.9pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C470JA3NNN	General	47pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C470JB3NNW	General	47pF	+/-5%	C0G	50Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R3BA3GNN	General	4.3pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R3CA3GNN	General	4.3pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C4R7CA3GNN	General	4.7pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C560JA3NNN	General	56pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R1BA3GNN	General	5.1pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R1CA3GNN	General	5.1pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R6BA3GNN	General	5.6pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C5R6CA3GNN	General	5.6pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C680JA3NNN	General	68pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R2BA3GNN	General	6.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R8BA3GNN	General	6.8pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C6R8CA3GNN	General	6.8pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C7R5BA3GNN	General	7.5pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C820JA3NNN	General	82pF	+/-5%	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C8R2BA3GNN	General	8.2pF	+/-0.1pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C8R2CA3GNN	General	8.2pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03C9R1CA3GNN	General	9.1pF	+/-0.25pF	C0G	25Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KO3NNW	General	100nF	+/-10%	X6S	16Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KP3NNN	General	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KP3NNW	General	100nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KQ3NNN	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104KQ3NNW	General	100nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104MQ3NNW	General	100nF	+/-20%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X104MR3NNW	General	100nF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.33mm	Normal
CL03X105MR3NRRN	General	1uF	+/-20%	X6S	4Vdc	0201inch_0603mm	0.39mm	Normal
CL03X224KP3NRW	General	220nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Normal
CL03X224KQ3NNN	General	220nF	+/-10%	X6S	6.3Vdc	0201inch_0603mm	0.33mm	Normal
CL03X334KP3NRW	General	330nF	+/-10%	X6S	10Vdc	0201inch_0603mm	0.39mm	Normal
CL03Y104KP3N4N	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Normal
CL03Y104KP3NNW	General	100nF	+/-10%	X7S	10Vdc	0201inch_0603mm	0.33mm	Normal
CL05A104JO5NNN	General	100nF	+/-5%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NFN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NNN	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KA5NNW	General	100nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KO5NNN	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KO5NNW	General	100nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KP5NNN	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KP5NNW	General	100nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104KQ5NNN	General	100nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104MO5NNN	General	100nF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A104MQ2HNN	General	100nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.22mm	LSC
CL05A105JQ5NNN	General	1uF	+/-5%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KA5NFK	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KA5NNN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KA5NQN	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KA5NQW	General	1uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KL5NRRN	General	1uF	+/-10%	X5R	35Vdc	0402inch_1005mm	0.65mm	Normal
CL05A105KO5NFN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NNN	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KO5NQW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KO5QNNW	General	1uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KP5NFK	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KP5NNN	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KP5NNW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal

CL05A105KP5NQW	General	1uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105KQ3LNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Normal
CL05A105KQ5NNN	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105KQ5NNW	General	1uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105MO5NQW	General	1uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A105MQ5NNN	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A105MQ5NNW	General	1uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A106MP5NRN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Normal
CL05A106MP5ZUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.7mm	Soft Termination(3mm)
CL05A106MP68UN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Normal
CL05A106MP6NUN	General	10uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.8mm	Normal
CL05A106MQ5N3U	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	1mm	Normal
CL05A106MQ5NRN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A106MQ5NUN	General	10uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05A106MR5NUN	General	10uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05A154KP5NNN	General	150nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A156MP7N6J	General	15uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.75mm	Normal
CL05A156MR6NWR	General	15uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	3T(Low ESL)
CL05A205ML5NRN	General	2uF	+/-20%	X5R	35Vdc	0402inch_1005mm	0.65mm	Normal
CL05A206MR5CRN	General	20uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Normal
CL05A224KA5NNN	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KA5NNW	General	220nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KO5NNN	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KO5NNW	General	220nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KP5NNN	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KP5NNW	General	220nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KQ5NNN	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224KQ5NNW	General	220nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224MP5NNN	General	220nF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A224MQLHEC	General	220nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.11mm	LSC
CL05A225KA5NUN	General	2.2uF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.7mm	Normal
CL05A225KO5NQN	General	2.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A225KP5NNN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225KP5NSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225KP5ZSN	General	2.2uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.57mm	Soft Termination(3mm)
CL05A225KQ5NNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225KQ5NSN	General	2.2uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MA5JUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MA5NOB	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.65mm	T-HMC(Low Acoustic)
CL05A225MA5NUN	General	2.2uF	+/-20%	X5R	25Vdc	0402inch_1005mm	0.7mm	Normal
CL05A225MO5NQN	General	2.2uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05A225MP5NNN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MP5NSN	General	2.2uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MQ3LRN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.33mm	Normal
CL05A225MQ5NNN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MQ5NNW	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MQ5NSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MQ5ZSN	General	2.2uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05A225MR5NNN	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05A225MR5NNW	General	2.2uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05A226MQ5QUN	General	22uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05A226MR5QUN	General	22uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05A334KA5NNN	General	330nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A334KQ5NNN	General	330nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A334MQ5NNN	General	330nF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A425KO5LUN	General	4.2uF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A435MR5NWN	General	4.3uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05A474KA5NNN	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KA5NNW	General	470nF	+/-10%	X5R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KO5NNN	General	470nF	+/-10%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KP5NNN	General	470nF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KQ5NNN	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A474KQ5NNW	General	470nF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05A475KP5NRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Normal

CL05A475KP5ZRN	General	4.7uF	+/-10%	X5R	10Vdc	0402inch_1005mm	0.65mm	Soft Termination(3mm)
CL05A475KQ5NRN	General	4.7uF	+/-10%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MO5LUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05A475MO5NUN	General	4.7uF	+/-20%	X5R	16Vdc	0402inch_1005mm	0.7mm	Normal
CL05A475MP5NRN	General	4.7uF	+/-20%	X5R	10Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MQ5NRN	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MQ5NRW	General	4.7uF	+/-20%	X5R	6.3Vdc	0402inch_1005mm	0.65mm	Normal
CL05A475MR5NQN	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.6mm	Normal
CL05A475MR5NRW	General	4.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.65mm	Normal
CL05A675MRBNWR	General	6.7uF	+/-20%	X5R	4Vdc	0402inch_1005mm	0.39mm	3T(Low ESL)
CL05B102JB5NNN	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102JB5NNW	General	1nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KA5NNW	General	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KA5VPN	Automotive	1nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KB5NCN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NFN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NNN	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5NNW	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KB5VPN	Automotive	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KB5Z4N	General	1nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination(3mm)
CL05B102KC5VPN	Automotive	1nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B102KO5NNW	General	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B102KO5VPN	Automotive	1nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103JA5NNW	General	10nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103JO5NNN	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103JO5NNW	General	10nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NFN	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NNN	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5NNW	General	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KA5VPJ	Automotive	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103KA5VPN	Automotive	10nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103KB5NFN	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5NNN	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5NNW	General	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KB5VPJ	Automotive	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103KB5VPN	Automotive	10nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103KO5NCN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NFN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NNN	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5NNW	General	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103KO5VPJ	Automotive	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B103KO5VPN	Automotive	10nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B103KP5NNW	General	10nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B103MO5NNW	General	10nF	+/-20%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104JO5NNN	General	100nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KA5NNN	General	100nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KA5NNW	General	100nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB54PN	Automotive	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KB5NFN	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB5NNN	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KB5NNW	General	100nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO3LNN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.33mm	Normal
CL05B104KO5NFN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5NNN	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5NNW	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KO5VPJ	Automotive	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B104KO5VPN	Automotive	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KO5Z4N	General	100nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(3mm)
CL05B104KP5NFN	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5NNN	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5NNW	General	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KP5VPN	Automotive	100nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B104KQ5NNN	General	100nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104KQ5NNW	General	100nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal

CL05B104MA5NNW	General	100nF	+/-20%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104MO5NNN	General	100nF	+/-20%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B104MP5NNN	General	100nF	+/-20%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B105KQ5QNW	General	1uF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B122JB5NNN	General	1.2nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152JB5NNN	General	1.5nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KA5NNN	General	1.5nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KA5VPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B152KB5NNN	General	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KB5NNW	General	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B152KB5VPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B152KO5VPN	Automotive	1.5nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KA5NNW	General	15nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KA5VPN	Automotive	15nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KB5NNN	General	15nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KB5VPN	Automotive	15nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B153KO5NNW	General	15nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B153KO5VPN	Automotive	15nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B181KB5NNN	General	180pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5NNN	General	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5NNW	General	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B182KB5VPN	Automotive	1.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B183KA5NNN	General	18nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221JB5NNN	General	220pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221KB5NNN	General	220pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B221KB5NNW	General	220pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222JB5NNN	General	2.2nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KA5VPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KB5NFN	General	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KB5NNN	General	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KB5NNW	General	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B222KB5VPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KC5VPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B222KO5VPN	Automotive	2.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223JO5NNN	General	22nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5NNN	General	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5NNW	General	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KA5VPJ	Automotive	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B223KA5VPN	Automotive	22nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KB5NNN	General	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KB5NNW	General	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KB5VPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B223KB5VPN	Automotive	22nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KO5NFN	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5NNN	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5NNW	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B223KO5VPJ	Automotive	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B223KO5VPN	Automotive	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B223KO5Z4N	General	22nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(3mm)
CL05B223KP5NNN	General	22nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KA5NNW	General	220nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KA5VPN	Automotive	220nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B224KO5NFN	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KO5NNN	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KO5NNW	General	220nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KP5NNN	General	220nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KP5NNW	General	220nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B224KQ5NNW	General	220nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B271KB5NNW	General	270pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B272KB5NNN	General	2.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B272KB5NNW	General	2.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KO5NNN	General	27nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KP5NNN	General	27nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B273KP5NNW	General	27nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal

CL05B301KB5NNN	General	300pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331JB5NNN	General	330pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5NNN	General	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5NNW	General	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B331KB5VPN	Automotive	330pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332JA5NNN	General	3.3nF	+/-5%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332JB5NNW	General	3.3nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332JB5VPN	Automotive	3.3nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KA5VPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KB5NFN	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5NNN	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5NNW	General	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B332KB5VPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B332KO5VPN	Automotive	3.3nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333JO5NNN	General	33nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KA5NNW	General	33nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KA5VPN	Automotive	33nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KB5VPN	Automotive	33nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KO54PN	Automotive	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KO5NFN	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5NNN	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5NNW	General	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KO5VPN	Automotive	33nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B333KP5NNW	General	33nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B333KP5VPN	Automotive	33nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B391KB5NNN	General	390pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B391KB5NNW	General	390pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B392KB5NNN	General	3.9nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B392KB5NNW	General	3.9nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NFN	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NNN	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5NNW	General	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B471KB5VPN	Automotive	470pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472JB5NNN	General	4.7nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KA5NFN	General	4.7nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KA5NNN	General	4.7nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KA5VPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472KB5NFN	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KB5NNN	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KB5NNW	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B472KB5S4N	General	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Soft Termination(3mm)
CL05B472KB5VPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B472KO5VPN	Automotive	4.7nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473JO5NNN	General	47nF	+/-5%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KA5NNN	General	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KA5NNW	General	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KA5VPN	Automotive	47nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KB5VPN	Automotive	47nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KO5NFN	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5NNN	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5NNW	General	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KO5VPJ	Automotive	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Soft Termination(5mm)
CL05B473KO5VPN	Automotive	47nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B473KP5NNN	General	47nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B473KP5NNW	General	47nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B474KP5NNN	General	470nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B474KQ5NNN	General	470nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B474KQ5ZNX	General	470nF	+/-10%	X7R	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561JB5NNN	General	560pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561KA5NNN	General	560pF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561KB5NNW	General	560pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B561KB5VPN	Automotive	560pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B562KA5NNN	General	5.6nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KA5NNW	General	5.6nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal



CL05B562KB5NFN	General	5.6nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B562KB5NNN	General	5.6nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681JB5NNN	General	680pF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681KB5NNN	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681KB5NNW	General	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B681KB5VPN	Automotive	680pF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682JB5NNN	General	6.8nF	+/-5%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5NNN	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5NNW	General	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KA5VPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682KB54PN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682KB5NNN	General	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B682KB5VPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B682KO5VPN	Automotive	6.8nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B683KO5NNN	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B683KO5NNW	General	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B683KO5VPN	Automotive	68nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B683KP5NNN	General	68nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05B821KO5NNN	General	820pF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KA5NNN	General	8.2nF	+/-10%	X7R	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5NNN	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5NNW	General	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05B822KB5VPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B822KO5NNN	General	8.2nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B823KO5NNW	General	82nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05B823KO5VPN	Automotive	82nF	+/-10%	X7R	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05B823KP5NNN	General	82nF	+/-10%	X7R	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010BB5NCN	General	1pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010BB5NNN	General	1pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010CB51PN	Automotive	1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C010CB5NNN	General	1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C020BB51PN	Automotive	2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C020CB5NNW	General	2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C030CB51PN	Automotive	3pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C040CB51PN	Automotive	4pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C040CB5NNW	General	4pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050BB5NNN	General	5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050CB5NNN	General	5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C050DB5NNN	General	5pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060CB51PN	Automotive	6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060CB5NNN	General	6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060DB51PN	Automotive	6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C060DB5NNN	General	6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C070CB5NNN	General	7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C070DB5NNN	General	7pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C080CB5NNN	General	8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C080DB51PN	Automotive	8pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090CB51PN	Automotive	9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090CB5NNN	General	9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090CB5NNW	General	9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090DB51PN	Automotive	9pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C090DB5NNN	General	9pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C0R5BB5NNN	General	0.5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C0R5CB5NNW	General	0.5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100CB5NCN	General	10pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100CB5NNN	General	10pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100DB5NCN	General	10pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100DB5NNN	General	10pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100GB51PN	Automotive	10pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB51PN	Automotive	10pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NFN	General	10pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NNN	General	10pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JB5NNW	General	10pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C100JC51PN	Automotive	10pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal

CL05C101FB5NNN	General	100pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101FB5NNW	General	100pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB51PN	Automotive	100pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NCN	General	100pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NFN	General	100pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NNN	General	100pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JB5NNW	General	100pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JC51PN	Automotive	100pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101JC5NNN	General	100pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C101KB5NNN	General	100pF	+/-10%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NFN	General	1nF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NNN	General	1nF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JB5NNW	General	1nF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C102JO5NNN	General	1nF	+/-5%	C0G	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05C110JB5NNN	General	11pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120CB5NNW	General	12pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120GB5NNN	General	12pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JB51PN	Automotive	12pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JB5NNN	General	12pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JB5NNW	General	12pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C120JC51PN	Automotive	12pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C121JB51PN	Automotive	120pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C121JB5NNN	General	120pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150CB5NNW	General	15pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB51PN	Automotive	15pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NCN	General	15pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NNN	General	15pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JB5NNW	General	15pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C150JC51PN	Automotive	15pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151FB51PN	Automotive	150pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB51PN	Automotive	150pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB5NNN	General	150pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C151JB5NNW	General	150pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C160JB5NCN	General	16pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180FB5NNW	General	18pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180GB5NCN	General	18pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB51PN	Automotive	18pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NCN	General	18pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NFN	General	18pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JB5NNN	General	18pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C180JC51PN	Automotive	18pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JA5NNN	General	180pF	+/-5%	C0G	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JB5NNN	General	180pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C181JB5NNW	General	180pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2BB51PN	Automotive	1.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2BB5NCN	General	1.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2BB5NNN	General	1.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2CB51PN	Automotive	1.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R2CB5NNN	General	1.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R3BB5NNN	General	1.3pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R3CB5NNW	General	1.3pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5BB51PN	Automotive	1.5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5BB5NNN	General	1.5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5CB51PN	Automotive	1.5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R5CB5NCN	General	1.5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R8BB51PN	Automotive	1.8pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C1R8BB5NNN	General	1.8pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200GB51PN	Automotive	20pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200GB5NNN	General	20pF	+/-2%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200JB51PN	Automotive	20pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C200JB5NNW	General	20pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C201JB5NNN	General	200pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB51PN	Automotive	22pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NCN	General	22pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal

CL05C220JB5NFN	General	22pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NNN	General	22pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JB5NNW	General	22pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C220JC51PN	Automotive	22pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB51PN	Automotive	220pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NFN	General	220pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NNN	General	220pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C221JB5NNW	General	220pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C240JB5NNN	General	24pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C240JB5NNW	General	24pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JA5NNN	General	27pF	+/-5%	C0G	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB51PN	Automotive	27pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB5NNN	General	27pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JB5NNW	General	27pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C270JC51PN	Automotive	27pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C271JB5NNN	General	270pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C271JB5NNW	General	270pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2BB5NNN	General	2.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CB51PN	Automotive	2.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CB5NNW	General	2.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R2CC51PN	Automotive	2.2pF	+/-0.25pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4BB5NNN	General	2.4pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4BB5NNW	General	2.4pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R4CB5NNN	General	2.4pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R5BB5NNN	General	2.5pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R5CB5NNN	General	2.5pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C2R7BB5NNN	General	2.7pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C300JB5NCN	General	30pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330FB5NNN	General	33pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB51PN	Automotive	33pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NCN	General	33pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NFN	General	33pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NNN	General	33pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JB5NNW	General	33pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C330JC51PN	Automotive	33pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C331JB5NNN	General	330pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C331JB5NNW	General	330pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C360JB5NNN	General	36pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB51PN	Automotive	39pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB5NNN	General	39pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JB5NNW	General	39pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C390JC51PN	Automotive	39pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C391JB5NNN	General	390pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C391JB5NNW	General	390pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R3BB5NNN	General	3.3pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R3CB5NNN	General	3.3pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R6CB5NNN	General	3.6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R9CB51PN	Automotive	3.9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C3R9CB5NNN	General	3.9pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C430JB5NNN	General	43pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470FB5NNN	General	47pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470FB5NNW	General	47pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB51PN	Automotive	47pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NFN	General	47pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NNN	General	47pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JB5NNW	General	47pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C470JC51PN	Automotive	47pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NFN	General	470pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NNN	General	470pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C471JB5NNW	General	470pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R3CB5NNW	General	4.3pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CB51PN	Automotive	4.7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CB5NNN	General	4.7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C4R7CB5NNW	General	4.7pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal

CL05C4R7CC51PN	Automotive	4.7pF	+/-0.25pF	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560FB5NNN	General	56pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB51PN	Automotive	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB5NNN	General	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JB5NNW	General	56pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C560JC51PN	Automotive	56pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C561JB5NNW	General	560pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R1CB5NNN	General	5.1pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6BB5NNN	General	5.6pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6CB51PN	Automotive	5.6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6CB5N4N	General	5.6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6CB5NNW	General	5.6pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C5R6DB5NNN	General	5.6pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C620JB5NNN	General	62pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680FB51PN	Automotive	68pF	+/-1%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB51PN	Automotive	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB5NNN	General	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JB5NNW	General	68pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C680JC51PN	Automotive	68pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C681JB5NNN	General	680pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C681JB5NNW	General	680pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R2CB5NNN	General	6.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R2DB5NNN	General	6.2pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8CB51PN	Automotive	6.8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8CB5NNN	General	6.8pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C6R8DB51PN	Automotive	6.8pF	+/-0.5pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C750JB5NNN	General	75pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB51PN	Automotive	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB5NNN	General	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JB5NNW	General	82pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C820JC51PN	Automotive	82pF	+/-5%	C0G	100Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NFN	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NNN	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C821JB5NNW	General	820pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2BB51PN	Automotive	8.2pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB51PN	Automotive	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB5NNN	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C8R2CB5NNW	General	8.2pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05C910JB5NNN	General	91pF	+/-5%	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05CR75BB5NNN	General	0.75pF	+/-0.1pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05CR75CB5NNW	General	0.75pF	+/-0.25pF	C0G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05F104ZO5NNN	General	100nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F105ZQ5NNN	General	1uF	-20/+80%	Y5V	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05F153ZB5NNN	General	15nF	-20/+80%	Y5V	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05F223ZA5NNN	General	22nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05F223ZO5NNN	General	22nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F224ZO5NNN	General	220nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F224ZP5NNN	General	220nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05F333ZA5NNN	General	33nF	-20/+80%	Y5V	25Vdc	0402inch_1005mm	0.55mm	Normal
CL05F334ZP5NNN	General	330nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05F473ZO5NNN	General	47nF	-20/+80%	Y5V	16Vdc	0402inch_1005mm	0.55mm	Normal
CL05F474ZP5NNN	General	470nF	-20/+80%	Y5V	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05G221JB51PN	Automotive	220pF	+/-5%	X8G	50Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KA5NQN	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105KA5NQW	General	1uF	+/-10%	X6S	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105KO5NQN	General	1uF	+/-10%	X6S	16Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105KP5NNN	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KP5NNW	General	1uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NFN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NNN	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NNW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105KQ5NQW	General	1uF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105MA5NQW	General	1uF	+/-20%	X6S	25Vdc	0402inch_1005mm	0.6mm	Normal
CL05X105MP3JQN	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.33mm	Normal

CL05X105MP5NNW	General	1uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105MQ5NNW	General	1uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X105MR5NNW	General	1uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05X106MR5NUN	General	10uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05X206MS6N6B	General	20uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.85mm	T-HMC(Low Acoustic)
CL05X225KP5QUW	General	2.2uF	+/-10%	X6S	10Vdc	0402inch_1005mm	0.7mm	Normal
CL05X225MP5QUW	General	2.2uF	+/-20%	X6S	10Vdc	0402inch_1005mm	0.7mm	Normal
CL05X225MQ5NSN	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.57mm	Normal
CL05X225MQ5QUW	General	2.2uF	+/-20%	X6S	6.3Vdc	0402inch_1005mm	0.7mm	Normal
CL05X225MR5QUW	General	2.2uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05X225MS5NSN	General	2.2uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.57mm	Normal
CL05X226MR6NUW	General	22uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.8mm	Normal
CL05X226MS6NUW	General	22uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.8mm	Normal
CL05X435MS5NWN	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X435MS5NWW	General	4.3uF	+/-20%	X6S	2.5Vdc	0402inch_1005mm	0.5mm	3T(Low ESL)
CL05X474KQ5NNW	General	470nF	+/-10%	X6S	6.3Vdc	0402inch_1005mm	0.55mm	Normal
CL05X474MR5NNW	General	470nF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.55mm	Normal
CL05X475MR5NUN	General	4.7uF	+/-20%	X6S	4Vdc	0402inch_1005mm	0.7mm	Normal
CL05Y105KP6VFN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.7mm	Normal(Epoxy)
CL05Y105KPAVFN	Automotive	1uF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.67mm	Normal(Epoxy)
CL05Y105KQ6VFN	Automotive	1uF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.7mm	Normal(Epoxy)
CL05Y224KO5VFN	Automotive	220nF	+/-10%	X7S	16Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y224KP5VFN	Automotive	220nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y224KQ5VFN	Automotive	220nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.55mm	Normal(Epoxy)
CL05Y474KP5VFN	Automotive	470nF	+/-10%	X7S	10Vdc	0402inch_1005mm	0.6mm	Normal(Epoxy)
CL05Y474KQ5VFN	Automotive	470nF	+/-10%	X7S	6.3Vdc	0402inch_1005mm	0.6mm	Normal(Epoxy)
CL10A104KA8NNN	General	100nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NFN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NNN	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KA8NNW	General	1uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KB8NNN	General	1uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KL8NNN	General	1uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KO8NNN	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KO8NNW	General	1uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KP8NNN	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KP8NNW	General	1uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KQ8NNN	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105KQ8NNW	General	1uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105MB8NNN	General	1uF	+/-20%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A105MO8NNN	General	1uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KO8NQN	General	10uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106KP8NFN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KP8NNN	General	10uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KQ8NNN	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106KQ8NNW	General	10uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MA8NRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Normal
CL10A106MA8ZRN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1mm	Normal
CL10A106MAEURN	General	10uF	+/-20%	X5R	25Vdc	0603inch_1608mm	1.2mm	ANSC(Low Acoustic)
CL10A106MO8NQN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106MOAFZN	General	10uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.65mm	Normal
CL10A106MP8NFN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MP8NFS	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.95mm	Normal
CL10A106MP8NNN	General	10uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MQ8NNN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MQ8NNW	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A106MQ8ZQN	General	10uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Soft Termination(3mm)
CL10A106MR8NNW	General	10uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KA8NNW	General	220nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KB8NNN	General	220nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A224KP8NNN	General	220nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KA5LNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KA8NNN	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KA8NNW	General	2.2uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KB8NNN	General	2.2uF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10A225KL8NINN	General	2.2uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO5LNN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KO8N3N	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NFN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NINN	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KO8NNNW	General	2.2uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KP5LNN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KP8NINN	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KP8NNNW	General	2.2uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ5LNN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Normal
CL10A225KQ8N3N	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ8NINN	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225KQ8NNNW	General	2.2uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A225MP8NINN	General	2.2uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A226KQ8NRRN	General	22uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MO79ZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MO7FZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MO7JZN	General	22uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MP7LUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MP8NRRN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MP8NUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MP8ZUN	General	22uF	+/-20%	X5R	10Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ7LUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.8mm	Normal
CL10A226MQ7NRRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A226MQ8NFR	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ8NRRN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ8NUN	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MQ8QRW	General	22uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A226MR8NQN	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Normal
CL10A226MR8NQW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	0.95mm	Normal
CL10A226MR8NUW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A226MR8QRW	General	22uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A335KP8NFN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A335KP8NINN	General	3.3uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KA8NINN	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KA8NNNW	General	470nF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KB8NINN	General	470nF	+/-10%	X5R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KO8NINN	General	470nF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A474KP8NNNW	General	470nF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KA8NQN	General	4.7uF	+/-10%	X5R	25Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475KL8NRRN	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	1mm	Normal
CL10A475KLAFFZN	General	4.7uF	+/-10%	X5R	35Vdc	0603inch_1608mm	0.65mm	Normal
CL10A475KO8NFN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KO8NINN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KO8NQN	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475KO8NQW	General	4.7uF	+/-10%	X5R	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475KP5LNN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.5mm	Normal
CL10A475KP8NFN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KP8NINN	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KP8NNNW	General	4.7uF	+/-10%	X5R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ5LNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.5mm	Normal
CL10A475KQ8NFN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ8NINN	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475KQ8NNNW	General	4.7uF	+/-10%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MA8NQN	General	4.7uF	+/-20%	X5R	25Vdc	0603inch_1608mm	0.95mm	Normal
CL10A475MO8NINN	General	4.7uF	+/-20%	X5R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NINN	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NNNW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10A475MQ8NQW	General	4.7uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10A476MQ8QRN	General	47uF	+/-20%	X5R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10A476MR8NRRN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A476MR8NRW	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1mm	Normal
CL10A476MR8NZN	General	47uF	+/-20%	X5R	4Vdc	0603inch_1608mm	1.1mm	Normal
CL10B101KB8NFN	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10B101KB8NNW	General	100pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102JB8NFN	General	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102JB8WPN	Automotive	1nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KA8WPN	Automotive	1nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KB8NCN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NNN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8NNW	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8SFN	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KB8WPI	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B102KB8WPN	Automotive	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B102KB8Z4N	General	1nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B102KC84PE	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B102KC8NFN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8NNN	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8NNW	General	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B102KC8WPI	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B102KC8WPN	Automotive	1nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103JB8NFN	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103JB8NNW	General	10nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8NFN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8NNN	General	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8NNW	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KA8WPN	Automotive	10nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KB8NFN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8NNN	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8NNW	General	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KB8WPI	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B103KB8WPN	Automotive	10nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KC84PE	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B103KC8NNN	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KC8NNW	General	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103KC8WPI	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B103KC8WPN	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B103KC8XPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe/Soft Termination(5mm)
CL10B103KO8NNN	General	10nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103MB8NCN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B103MB8NNN	General	10nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JA8NNN	General	100nF	+/-5%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JB8NNN	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104JB8NNW	General	100nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NFN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NNN	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8NNW	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KA8VPJ	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KA8VPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KA8WPN	Automotive	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KA8Z4N	General	100nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B104KB8NFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8NNN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8NNW	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8SFN	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KB8VPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KB8WPN	Automotive	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KB8Z4N	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B104KB8ZW6	General	100nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B104KC8N3W	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KC8NNN	General	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KC8VPJ	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B104KC8VPN	Automotive	100nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B104KO8NFN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8NNN	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8NNW	General	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104KO8WPN	Automotive	100nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)

CL10B104MA8NNW	General	100nF	+/-20%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104MB8NFN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B104MB8NNN	General	100nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NNN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8NNW	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KA8VPJ	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KA8VPN	Automotive	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KA8Z4J	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B105KA8Z4N	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B105KA8ZFN	General	1uF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KB8NQN	General	1uF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.95mm	Normal
CL10B105KO8NFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8NNN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8NNW	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KO8VPJ	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KO8VPN	Automotive	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KO8ZFN	General	1uF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NFN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NNN	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8NNW	General	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KP8VPJ	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KP8VPN	Automotive	1uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B105KQ8NNN	General	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B105KQ8VPJ	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B105KQ8VPN	Automotive	1uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B106MQ8NFR	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10B106MQ8NRR	General	10uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10B121KB8NNN	General	120pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B122KB8NFN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B122KB8NNN	General	1.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B123KB8NNN	General	12nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B151KB8NNN	General	150pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KA8WPN	Automotive	1.5nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B152KB8NFN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8NNN	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8NNW	General	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KB8WPJ	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B152KB8WPN	Automotive	1.5nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B152KC84PE	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B152KC8NNN	General	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B152KC8WPN	Automotive	1.5nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KA8WPN	Automotive	15nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KB8NFN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B153KB8NNN	General	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B153KB8WPN	Automotive	15nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B153KC8WPN	Automotive	15nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B154KA8NFN	General	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KA8VPN	Automotive	150nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B154KB8VPN	Automotive	150nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B154KO8NFN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8NNN	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8NNW	General	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B154KO8VPN	Automotive	150nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B182KB8NFN	General	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B182KB8WPN	Automotive	1.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B183JB8NNN	General	18nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B201KB8NNN	General	200pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221JB8NNN	General	220pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8NFN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8NNN	General	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B221KB8WPN	Automotive	220pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B221KC8WPN	Automotive	220pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222JB8NNW	General	2.2nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal



CL10B222KA8WPN	Automotive	2.2nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222KB8NFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8NNN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8NNW	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8SFN	General	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B222KB8WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B222KB8WPN	Automotive	2.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B222KC84PE	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B222KC8WPN	Automotive	2.2nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223JB8NFN	General	22nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KA8NFN	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KA8NNW	General	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KA8WPN	Automotive	22nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KB8NFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8NNN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8NNW	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8SFN	General	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B223KB8VPJ	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B223KB8WPN	Automotive	22nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KC8VPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B223KC8WPN	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B223KC8XPJ	Automotive	22nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Fail Safe/Soft Termination(5mm)
CL10B223KO8NNN	General	22nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JO8NNN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JO8SFN	General	220nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224JP8NNN	General	220nF	+/-5%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8NFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8NNN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8SFN	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KA8VPN	Automotive	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KA8Z4N	General	220nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B224KB8NFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8NNN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8NNW	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8SFN	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KB8VPJ	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B224KB8VPN	Automotive	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KB8Z4J	General	220nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B224KO8NFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8NNN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8NNW	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8SFN	General	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KO8VPN	Automotive	220nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B224KP8NFN	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KP8NNW	General	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B224KP8VPN	Automotive	220nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B225KP8NFN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KP8NNN	General	2.2uF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KQ8NFN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B225KQ8NNN	General	2.2uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B271KC8WPN	Automotive	270pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B272JB8NNN	General	2.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B272KB8NFN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B272KB8NNN	General	2.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KA8NNN	General	27nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KB8NNN	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KB8NNW	General	27nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B273KO8NNN	General	27nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B274KO8VPN	Automotive	270nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B331JB8NNN	General	330pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331KB8NFN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331KB8NNN	General	330pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B331KC8WPN	Automotive	330pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)

CL10B332KA8WPN	Automotive	3.3nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332KB8NFN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8NNN	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8NNW	General	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KB8WPN	Automotive	3.3nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332KC84PE	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B332KC8NNN	General	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B332KC8WPN	Automotive	3.3nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B332MB8NNN	General	3.3nF	+/-20%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KA85PN	Automotive	33nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B333KB8NFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KB8NNN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KB8SFN	General	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B333KB8VPJ	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B333KB8WPN	Automotive	33nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B333KO8NFN	General	33nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KA8VPN	Automotive	330nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B334KB8Z4J	General	330nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)
CL10B334KO8NFN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KO8NNN	General	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B334KO8VPN	Automotive	330nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B334KP8NNN	General	330nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B391KB8NNN	General	390pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B392KB8NFN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B392KB8NNN	General	3.9nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KA8NNW	General	39nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KB8NNN	General	39nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B393KO8NNN	General	39nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8NFN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8NNN	General	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B471KB8WPN	Automotive	470pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B471KC8WPN	Automotive	470pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472JB8WPN	Automotive	4.7nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KA8NNN	General	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KA8WPN	Automotive	4.7nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KB8NFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8NNN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8NNW	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8SFN	General	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KB8VPJ	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B472KB8WPN	Automotive	4.7nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B472KC84PE	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B472KC8NNN	General	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B472KC8WPN	Automotive	4.7nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473JO8NNN	General	47nF	+/-5%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA85PN	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KA8NFN	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA8NNW	General	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KA8VPJ	Automotive	47nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KB8NFN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8NNN	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8NNW	General	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KB8VPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KB8WPN	Automotive	47nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KC8VPJ	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B473KC8WPN	Automotive	47nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B473KO8NNN	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KO8NNW	General	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B473KO8VPJ	Automotive	47nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B474KA8NFN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KA8NNN	General	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KA8VPN	Automotive	470nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KB8Z4J	General	470nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(3mm)

CL10B474KO8NFN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8NPN	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8NPNW	General	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KO8VPJ	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B474KO8VFN	Automotive	470nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KP8NPN	General	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10B474KP8VFN	Automotive	470nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B474KQ8NPN	General	470nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B475KQ8NFK	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B475KQ8NQN	General	4.7uF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B475MQ8NQN	General	4.7uF	+/-20%	X7R	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10B511KB8NPN	General	510pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B561KC8WPN	Automotive	560pF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B562JB8NPN	General	5.6nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B562KB8NFK	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B562KB8NPN	General	5.6nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B681JB8NPN	General	680pF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B681KB8NPNW	General	680pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682JB8NPN	General	6.8nF	+/-5%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KA8WPN	Automotive	6.8nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B682KB8NFK	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8NPN	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8NPNW	General	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B682KB8WPN	Automotive	6.8nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B682KC84PE	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	1mm	ESD Protection
CL10B682KC8WPN	Automotive	6.8nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B683KA8NPN	General	68nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8NFK	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8NPN	General	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B683KB8VPJ	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Soft Termination(5mm)
CL10B683KB8WPN	Automotive	68nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B683KC8WPN	Automotive	68nF	+/-10%	X7R	100Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B683KO8WPN	Automotive	68nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KA8VFN	Automotive	680nF	+/-10%	X7R	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KO8NFK	General	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10B684KO8VFN	Automotive	680nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KP8VFN	Automotive	680nF	+/-10%	X7R	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B684KQ8NPN	General	680nF	+/-10%	X7R	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10B821KB8NFK	General	820pF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B822KB8NFK	General	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B822KB8WPN	Automotive	8.2nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10B823KB8NFK	General	82nF	+/-10%	X7R	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10B823KO8NPN	General	82nF	+/-10%	X7R	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10C010BB8NPN	General	1pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C010CB8NPNW	General	1pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C020CB81PN	Automotive	2pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C020CB8NPN	General	2pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C030CB81PN	Automotive	3pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C040BB8NPN	General	4pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C040CB8NPN	General	4pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050BB8NPN	General	5pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050BB8NPNW	General	5pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050CB81PN	Automotive	5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050CB8NFK	General	5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C050DB8NPN	General	5pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060CB81PN	Automotive	6pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060DB81PN	Automotive	6pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C060DB8NPN	General	6pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070BB8NPN	General	7pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070CB8NPN	General	7pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C070DB8NPN	General	7pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C080DB81PN	Automotive	8pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C090DB81PN	Automotive	9pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C0R5CB8NPN	General	0.5pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal



CL10C151GB8NINN	General	150pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB81PN	Automotive	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NCN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NFN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JB8NINN	General	150pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JC81PN	Automotive	150pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C151JC8NNW	General	150pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152GA8NNW	General	1.5nF	+/-2%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NFN	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NINN	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C152JB8NNW	General	1.5nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C160JB8NFN	General	16pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C161JB8NINN	General	160pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB81PN	Automotive	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NFN	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NINN	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JB8NNW	General	18pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C180JC81PN	Automotive	18pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181FB8NINN	General	180pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB81PN	Automotive	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB8NFN	General	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JB8NINN	General	180pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C181JC81PN	Automotive	180pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NFN	General	1.8nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NINN	General	1.8nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NNW	General	1.8nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JC81PN	Automotive	18pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NINN	General	1.8pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JC81PN	Automotive	18pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C182JB8NNW	General	1.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB81PN	Automotive	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NCN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NFN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JB8NINN	General	20pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C200JC81PN	Automotive	20pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C201JB8NINN	General	200pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C201JB8NNW	General	200pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220FB8NNW	General	22pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220GB8NNW	General	22pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB81PN	Automotive	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NFN	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NINN	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JB8NNW	General	22pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C220JC81PN	Automotive	22pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221FB8NINN	General	220pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221GB8NINN	General	220pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB81PN	Automotive	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NCN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NFN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NINN	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JB8NNW	General	220pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JC81PN	Automotive	220pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221JC8NNW	General	220pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KB8NINN	General	220pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KC8NINN	General	220pF	+/-10%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C221KD8NINN	General	220pF	+/-10%	COG	200Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NFN	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NINN	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C222JB8NNW	General	2.2nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C240JB8NCN	General	24pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C241JB8NINN	General	240pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270FB8NINN	General	27pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270GB8NINN	General	27pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB81PN	Automotive	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JB8NFN	General	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C270JB8NNN	General	27pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C270JC81PN	Automotive	27pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271GB8NNN	General	270pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JB81PN	Automotive	270pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JB8NNN	General	270pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C271JC8NNW	General	270pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C272JB8NNN	General	2.7nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2BB8NNW	General	2.2pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2CB81PN	Automotive	2.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2CB8NNN	General	2.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R2CB8NNW	General	2.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R4BB8NNN	General	2.4pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R4CB8NNN	General	2.4pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C2R7CB81PN	Automotive	2.7pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C300FB8NNN	General	30pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C300JB8NCN	General	30pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330FB8NNN	General	33pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330GB8NNN	General	33pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB81PN	Automotive	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NFN	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NNN	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JB8NNW	General	33pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JC81PN	Automotive	33pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330JC8NNW	General	33pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C330KB8NNN	General	33pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331FB8NNN	General	330pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331GB8NNN	General	330pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB81PN	Automotive	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NFN	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NNN	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JB8NNW	General	330pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JC8NNN	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C331JC8NNW	General	330pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C332JA8NNN	General	3.3nF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C332JB8NFN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C332JB8NNN	General	3.3nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C361JB8NNN	General	360pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390FB81PN	Automotive	39pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390GB8NNN	General	39pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB81PN	Automotive	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB8NCN	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JB8NNW	General	39pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C390JC81PN	Automotive	39pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C391JB81PN	Automotive	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C391JB8NFN	General	390pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R3CB81PN	Automotive	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R3CB8NNW	General	3.3pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R5CB8NNN	General	3.5pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R6BB8NNN	General	3.6pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R6CB8NNN	General	3.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R9BB8NNW	General	3.9pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C3R9CB8NNW	General	3.9pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C431JB8NNN	General	430pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470FB81PN	Automotive	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470FB8NNN	General	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470FB8NNW	General	47pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470GB8NNN	General	47pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB81PN	Automotive	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NFN	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NNN	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JB8NNW	General	47pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JC81PN	Automotive	47pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470JC8NNN	General	47pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C470KB8NNW	General	47pF	+/-10%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C471JB81PN	Automotive	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NCN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NFN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NNN	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JB8NNW	General	470pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JC8NFN	General	470pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JC8NNN	General	470pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C471JE8NNN	General	470pF	+/-5%	COG	250Vdc	0603inch_1608mm	0.9mm	Normal
CL10C472JB8NNN	General	4.7nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R3BB8NNN	General	4.3pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7BB8NNN	General	4.7pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7BB8NNW	General	4.7pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C4R7CB8NNW	General	4.7pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C510JB8NNN	General	51pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C511JB8NNN	General	510pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560FB8NNN	General	56pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB81PN	Automotive	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NFN	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NNN	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JB8NNW	General	56pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C560JC81PN	Automotive	56pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB81PN	Automotive	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB8NFN	General	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C561JB8NNN	General	560pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C562JB8NNN	General	5.6nF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R1CB8NNN	General	5.1pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6BB8NNN	General	5.6pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CB81PN	Automotive	5.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CB8NNW	General	5.6pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6CC81PN	Automotive	5.6pF	+/-0.25pF	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6DB81PN	Automotive	5.6pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C5R6DB8NNN	General	5.6pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C620JB8NNN	General	62pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680GB8NNN	General	68pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB81PN	Automotive	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB8NFN	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB8NNN	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C680JB8NNW	General	68pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681FB8NNN	General	680pF	+/-1%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JA8NNN	General	680pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JA8NNW	General	680pF	+/-5%	COG	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB81PN	Automotive	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB8NFN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C681JB8NNN	General	680pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2CB8NNN	General	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2CB8NNW	General	6.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R2DB8NNN	General	6.2pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8CB81PN	Automotive	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8CB8NNN	General	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8CB8NNW	General	6.8pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C6R8DB8NNW	General	6.8pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C751JB8NNN	General	750pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C7R5BB8NNN	General	7.5pF	+/-0.1pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C7R5DB8NNN	General	7.5pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820GB8NNN	General	82pF	+/-2%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB81PN	Automotive	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB8NFN	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JB8NNW	General	82pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C820JC81PN	Automotive	82pF	+/-5%	COG	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10C821JB81PN	Automotive	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C821JB8NFN	General	820pF	+/-5%	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2CB81PN	Automotive	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2CB8NNW	General	8.2pF	+/-0.25pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C8R2DB8NNN	General	8.2pF	+/-0.5pF	COG	50Vdc	0603inch_1608mm	0.9mm	Normal

CL10C9R1CB8NNN	General	9.1pF	+/-0.25pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10C9R1DB8NNN	General	9.1pF	+/-0.5pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10CR56BB8NNN	General	0.56pF	+/-0.1pF	C0G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10E224KA84PN	Automotive	220nF	+/-10%	X8L	25Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10F103ZB8NNN	General	10nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZA8NFN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZA8NNN	General	100nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZB8NNN	General	100nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F104ZO8NNN	General	100nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F154ZA8NNN	General	150nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F223ZB8NNN	General	22nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F225ZP8NNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10F225ZQ8NNN	General	2.2uF	-20/+80%	Y5V	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10F333ZB8NNN	General	33nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10F334ZO8NNN	General	330nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F474ZA8NNN	General	470nF	-20/+80%	Y5V	25Vdc	0603inch_1608mm	0.9mm	Normal
CL10F474ZO8NNN	General	470nF	-20/+80%	Y5V	16Vdc	0603inch_1608mm	0.9mm	Normal
CL10F683ZB8NNN	General	68nF	-20/+80%	Y5V	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10G681JB81PN	Automotive	680pF	+/-5%	X8G	50Vdc	0603inch_1608mm	0.9mm	Normal
CL10G681JC81PN	Automotive	680pF	+/-5%	X8G	100Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106KR8NNN	General	10uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MO8NRN	General	10uF	+/-20%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NFR	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NRN	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MP8NRW	General	10uF	+/-20%	X6S	10Vdc	0603inch_1608mm	1mm	Normal
CL10X106MQ8NNN	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MQ8NNW	General	10uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MR8NNN	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X106MR8NNW	General	10uF	+/-20%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X225KP8NNN	General	2.2uF	+/-10%	X6S	10Vdc	0603inch_1608mm	0.9mm	Normal
CL10X226MQ8QRW	General	22uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8NUN	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8NUW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X226MR8QRW	General	22uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X475KO8NFBQ	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475KO8NQN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475KO8NRN	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X475KO8NRW	General	4.7uF	+/-10%	X6S	16Vdc	0603inch_1608mm	1mm	Normal
CL10X475KQ8NNN	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475KQ8NRW	General	4.7uF	+/-10%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X475KR8NNW	General	4.7uF	+/-10%	X6S	4Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475MQ8NNN	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475MQ8NNW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.9mm	Normal
CL10X475MQ8NQW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	0.95mm	Normal
CL10X475MQ8NRW	General	4.7uF	+/-20%	X6S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10X476MR8NRW	General	47uF	+/-20%	X6S	4Vdc	0603inch_1608mm	1mm	Normal
CL10X476MS8NRW	General	47uF	+/-20%	X6S	2.5Vdc	0603inch_1608mm	1mm	Normal
CL10Y104MR5NJN	General	100nF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y105MR5NJN	General	1uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y106MQ8NFR	General	10uF	+/-20%	X7S	6.3Vdc	0603inch_1608mm	1mm	Normal
CL10Y225KP84PN	Automotive	2.2uF	+/-10%	X7S	10Vdc	0603inch_1608mm	0.9mm	Normal(Epoxy)
CL10Y225MR5NJN	General	2.2uF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Y474MR5NJN	General	470nF	+/-20%	X7S	4Vdc	0603inch_1608mm	0.55mm	8T(Low ESL)
CL10Z475MQ9VFN	Automotive	4.7uF	+/-20%	X7T	6.3Vdc	0603inch_1608mm	1mm	Normal(Epoxy)
CL19A226MR7NWN	General	22uF	+/-20%	X5R	4Vdc	0503inch_1209mm	0.8mm	3T(Low ESL)
CL19A226MRANWN	General	22uF	+/-20%	X5R	4Vdc	0503inch_1209mm	0.65mm	3T(Low ESL)
CL21A105KACLNN	General	1uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A105KBCLNN	General	1uF	+/-10%	X5R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21A105KPFNNN	General	1uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KACLRN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KAFN3N	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KAYN3N	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KAYNFN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KAYNNN	General	10uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal



CL21A106KBYQNN	General	10uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106KOCCLRN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KOFNINN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KOFNINW	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQOQNFN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KQOQNNN	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KQOQNNW	General	10uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106KPCCLRN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KPCCLRN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KPFNINN	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KPFNINW	General	10uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQCLNIN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KQCLRN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106KQFNFN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQFNINN	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106KQFNINW	General	10uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MAYNINN	General	10uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A106MOFNINN	General	10uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPFNINN	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPFNINW	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MPQNNW	General	10uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21A106MQCLNIN	General	10uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A106MQFNINN	General	10uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A106MQQNNN	General	10uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A107MRYNNW	General	100uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21A107MSYNNW	General	100uF	+/-20%	X5R	2.5Vdc	0805inch_2012mm	1.45mm	Normal
CL21A225KACLNN	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KAFNFN	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KAFNINN	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KAFNINW	General	2.2uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KB9LNN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1mm	Normal
CL21A225KBFNINN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KBQNNN	General	2.2uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.4mm	Normal
CL21A225KOCCLNIN	General	2.2uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KOFNINN	General	2.2uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KPCCLNIN	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A225KPFNINN	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A225KPFNINW	General	2.2uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A226KQOQNNN	General	22uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226KPCCLRN	General	22uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226KQCLRN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226KQFNFN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226KQQNNN	General	22uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MAYNINN	General	22uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MAYNNW	General	22uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MOCLRN	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MOQNNN	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MOYNNW	General	22uF	+/-20%	X5R	16Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MPCLRN	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MPQNNN	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MPYNNW	General	22uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21A226MQCLRN	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A226MQQN3N	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MQQNNN	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MQQNNW	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21A226MQYNNW	General	22uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A335KPFNINN	General	3.3uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KACLRN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KAFNNW	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KAQN3N	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNFN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNNN	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KAQNNW	General	4.7uF	+/-10%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475KBQNNN	General	4.7uF	+/-10%	X5R	50Vdc	0805inch_2012mm	1.4mm	Normal

CL21A475KLCLQN	General	4.7uF	+/-10%	X5R	35Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KOCRLRN	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KOFN3N	General	4.7uF	+/-10%	X5R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KPCLNN	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KPFN3N	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KPFNNW	General	4.7uF	+/-10%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KQCLNN	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A475KQFN3N	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475KQFN3W	General	4.7uF	+/-10%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MAFN3N	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MAQNN3N	General	4.7uF	+/-20%	X5R	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21A475MPFN3N	General	4.7uF	+/-20%	X5R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MQFN3N	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A475MQFN3W	General	4.7uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21A476MQ7LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.8mm	Normal
CL21A476MQ8LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.9mm	Normal
CL21A476MQ9LRN	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1mm	Normal
CL21A476MQCLR3N	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	0.95mm	Normal
CL21A476MQYN3N	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MQYNN3N	General	47uF	+/-20%	X5R	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MRYNN3N	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21A476MRYNN3W	General	47uF	+/-20%	X5R	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21B102JBANFN	General	1nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102JCANN3N	General	1nF	+/-5%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102JDCNN3N	General	1nF	+/-5%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KAANFN	General	1nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANFN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANNN	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBANNNW	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KBCNN3N	General	1nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KCANNN3N	General	1nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B102KDCN3FN	General	1nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSFN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSNN	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21B102KECSW6	General	1nF	+/-10%	X7R	250Vdc	0805inch_2012mm	0.95mm	Soft Termination(3mm)
CL21B103JBCNN3N	General	10nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KAANNN3N	General	10nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANFN	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANNN3N	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBANNNW	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KBCNN3N	General	10nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KCANFN	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KCANNN3N	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KCANNNW	General	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B103KCCWPJ	Automotive	10nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.95mm	Soft Termination(5mm)
CL21B103KDCN3FN	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KDCNN3N	General	10nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B103KEFN3N	General	10nF	+/-10%	X7R	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21B103MBANNN3N	General	10nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B104JBCN3FN	General	100nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACN3FN	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACNN3N	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KACNNW	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KAFNN3N	General	100nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KBCN3FN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCNN3N	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCNNW	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBCS3FN	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B104KBFNN3N	General	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B104KBFWPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B104KBFWPN	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B104KBFXPJ	Automotive	100nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Fail Safe/Soft Termination(5mm)
CL21B104KCFNN3N	General	100nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal



CL21B221KDCNFN	General	220pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B222JBANNN	General	2.2nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBANFN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBANNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KBCNNN	General	2.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B222KCANFN	General	2.2nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B222KDCNFN	General	2.2nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B223JBANNN	General	22nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBANFN	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBANNN	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBANNW	General	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B223KBFWVJ	Automotive	22nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B223KCFNNN	General	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B223KCFWVJ	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B223KCFWPN	Automotive	22nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224JAFNNN	General	220nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFNFN	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFNFW	General	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KAFVJ	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B224KAFVFN	Automotive	220nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KBFNFW	General	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KBFVJ	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B224KBFVFN	Automotive	220nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B224KCFNFW	General	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KCFVFN	Automotive	220nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B224KOFNFW	General	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B224KOFVFN	Automotive	220nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KAFNFN	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFNFW	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFNFW	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KAFVFN	Automotive	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KAFZ4J	General	2.2uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Soft Termination(3mm)
CL21B225KBYNFW	General	2.2uF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Normal
CL21B225KOFNFN	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KOFNFW	General	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B225KOFVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225KOQVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B225KPFNFW	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KPFNFW	General	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B225KPFVFN	Automotive	2.2uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B225MAFNFW	General	2.2uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B272KBANNN	General	2.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B273KBANNN	General	27nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B301KBANNN	General	300pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B331JBANNN	General	330pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B332JBANNN	General	3.3nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B333KBANFN	General	33nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B334KAFVFN	Automotive	330nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B334KBFNFW	General	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B334KBFVJ	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B334KBFVFN	Automotive	330nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B334KOCNNN	General	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	0.95mm	Normal
CL21B334KOFVFN	Automotive	330nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B334MBFNFW	General	330nF	+/-20%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B335KAFNFN	General	3.3uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B335KOQVFN	Automotive	3.3uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B335KPFNFW	General	3.3uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B393KBANNN	General	39nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B471JBANNN	General	470pF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B471KBANFN	General	470pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal

CL21B471KDCNFN	General	470pF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B472KBANFN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KBANNN	General	4.7nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KCANFN	General	4.7nF	+/-10%	X7R	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21B472KDCNNN	General	4.7nF	+/-10%	X7R	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KBCNFN	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KBCNNN	General	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B473KBFWFPJ	Automotive	47nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B473KCFNNN	General	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21B473KCFWFPJ	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B473KCFWPN	Automotive	47nF	+/-10%	X7R	100Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B473MBCNNN	General	47nF	+/-20%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B474JAFNNTN	General	470nF	+/-5%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFNFN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFNNTN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFSFN	General	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KAFVFN	Automotive	470nF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474KBFNFN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KBFNNTN	General	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21B474KBFVFN	Automotive	470nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474KOFNFN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KOFNNTN	General	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B474KOFVFN	Automotive	470nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B474MAFNNTN	General	470nF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFNFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFNNTN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFZF6	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KAFZFN	General	4.7uF	+/-10%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNNTN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFNNTW	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOFZFN	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KOQVFPJ	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.5mm	Soft Termination(5mm)
CL21B475KOQVFN	Automotive	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475KOQZW6	General	4.7uF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.4mm	Soft Termination(3mm)
CL21B475KPFN3N	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KPFNFN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KPFNNTN	General	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B475KPQVFN	Automotive	4.7uF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475KQQVFN	Automotive	4.7uF	+/-10%	X7R	6.3Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21B475MAFNNTN	General	4.7uF	+/-20%	X7R	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21B511KBANNN	General	510pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562JBANNN	General	5.6nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562KBANFN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B562KBANNTN	General	5.6nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B563KBCNNTN	General	56nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B681KBANFN	General	680pF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B682KBANFN	General	6.8nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21B683JBCNNTN	General	68nF	+/-5%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B683KBCNFN	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21B683KBFNNTN	General	68nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684JOFNNTN	General	680nF	+/-5%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KBFNNTN	General	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KBFVFN	Automotive	680nF	+/-10%	X7R	50Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B684KOFNFN	General	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21B684KOFVFN	Automotive	680nF	+/-10%	X7R	16Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)
CL21B684KPFNNTN	General	680nF	+/-10%	X7R	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21B822KBANNTN	General	8.2nF	+/-10%	X7R	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C010BBANNTN	General	1pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C030BBANNTN	General	3pF	+/-0.1pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C030CBANNTN	General	3pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C050CBANNTN	General	5pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C080CBANNTN	General	8pF	+/-0.25pF	C0G	50Vdc	0805inch_2012mm	0.75mm	Normal

CL21C090CBANNN	General	9pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100CBANNN	General	10pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100CCANNN	General	10pF	+/-0.25pF	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100JBANFN	General	10pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C100JECNNW	General	10pF	+/-5%	COG	250Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101GBANNNW	General	100pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANFN	General	100pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANNN	General	100pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JBANNW	General	100pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JCANNN	General	100pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C101JDCNFN	General	100pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101JDCNNN	General	100pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C101KBANFN	General	100pF	+/-10%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C102GBCNNN	General	1nF	+/-2%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBCNFN	General	1nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBCNNW	General	1nF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C102JBF1PN	Automotive	1nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCF1PN	Automotive	1nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCFNNN	General	1nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JCFNNW	General	1nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JDFNFN	General	1nF	+/-5%	COG	200Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JEFNFN	General	1nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21C102JEFNNN	General	1nF	+/-5%	COG	250Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBF1PN	Automotive	10nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNFN	General	10nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNNN	General	10nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C103JBFNNW	General	10nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C121JDCNNN	General	120pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C122JBFNNN	General	1.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C130JBANNN	General	13pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C150GBANNN	General	15pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151FBANNN	General	150pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151FCANNN	General	150pF	+/-1%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151JBANFN	General	150pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C151JBANNN	General	150pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C152JBFNFN	General	1.5nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C180GCANNN	General	18pF	+/-2%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C181JBANNN	General	180pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C182JBF1PN	Automotive	1.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C182JBFNNN	General	1.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C1R2CBANNN	General	1.2pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R5BBANNN	General	1.5pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C1R5CBANNN	General	1.5pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C200JBANNN	General	20pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C201JBANNN	General	200pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220FBANNN	General	22pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220GBANNN	General	22pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220JBANFN	General	22pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C220JBANNN	General	22pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221FBANNN	General	220pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221GBANNN	General	220pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANFN	General	220pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANNN	General	220pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JBANNW	General	220pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C221JDCNFN	General	220pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C221JDCNNN	General	220pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C221JDCNNW	General	220pF	+/-5%	COG	200Vdc	0805inch_2012mm	0.95mm	Normal
CL21C222GBFNNN	General	2.2nF	+/-2%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBF1PN	Automotive	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNFN	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNNN	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JBFNNW	General	2.2nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C222JCFNNN	General	2.2nF	+/-5%	COG	100Vdc	0805inch_2012mm	1.35mm	Normal
CL21C240JBANNN	General	24pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal

CL21C270JCANNN	General	27pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C271GBANNN	General	270pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C271JBANNN	General	270pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C272JBFNNN	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C272JBFNNW	General	2.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C2R2BBANNN	General	2.2pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R5CBANNN	General	2.5pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R7BBANNN	General	2.7pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C2R7CBANNN	General	2.7pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C301JBANNN	General	300pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C330JBANNN	General	33pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C330KBANNN	General	33pF	+/-10%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331FBANNN	General	330pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331GBANNN	General	330pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JBANFN	General	330pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JCANNN	General	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C331JCANNW	General	330pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C360JBANNN	General	36pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C361JBANNN	General	360pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C390JBANNN	General	39pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C391GBANNN	General	390pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C391JBANNN	General	390pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C392JAANNN	General	3.9nF	+/-5%	COG	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21C3R9CBANNN	General	3.9pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C430JBANNN	General	43pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C431JBANNN	General	430pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470FBANNN	General	47pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JBANFN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JBANNN	General	47pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C470JCANNN	General	47pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471FBANNN	General	470pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471GBANNN	General	470pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471JBANFN	General	470pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C471JCCNFN	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C471JCCNNW	General	470pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C472JAFNNN	General	4.7nF	+/-5%	COG	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21C472JBFNFN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C472JBFNNN	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C472JBFNNW	General	4.7nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C4R7BBANNN	General	4.7pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C510JBANNN	General	51pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C562JBFNNN	General	5.6nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C5R6BBANNN	General	5.6pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C5R6CBANNN	General	5.6pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C5R6DBANNN	General	5.6pF	+/-0.5pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C620JBANNN	General	62pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C621JBCNNN	General	620pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C680FBANNN	General	68pF	+/-1%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C680GBANNN	General	68pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C680JCANNN	General	68pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.75mm	Normal
CL21C681JBANNN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C681JBCNFN	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C681JBCNNW	General	680pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21C681JCCNNN	General	680pF	+/-5%	COG	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21C682JBF1PN	Automotive	6.8nF	+/-5%	COG	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21C6R8CBANNN	General	6.8pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C750JBANNN	General	75pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C820GBANNN	General	82pF	+/-2%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C910JBANNN	General	91pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21C911JBCNNN	General	910pF	+/-5%	COG	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21CR47BBANNN	General	0.47pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21CR47CBANNN	General	0.47pF	+/-0.25pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21CR68BBANNN	General	0.68pF	+/-0.1pF	COG	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21E474KAF4PN	Automotive	470nF	+/-10%	X8L	25Vdc	0805inch_2012mm	1.35mm	Normal(Epoxy)

CL21F104ZAANNN	General	100nF	-20/+80%	Y5V	25Vdc	0805inch_2012mm	0.75mm	Normal
CL21F104ZBANNN	General	100nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.75mm	Normal
CL21F105ZAFNNN	General	1uF	-20/+80%	Y5V	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21F106ZPFNNN	General	10uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F106ZQFNNN	General	10uF	-20/+80%	Y5V	6.3Vdc	0805inch_2012mm	1.35mm	Normal
CL21F154ZBCNNN	General	150nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	0805inch_2012mm	0.95mm	Normal
CL21F225ZOFNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21F225ZPFNNN	General	2.2uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F335ZPFNNN	General	3.3uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21F475ZPFNNN	General	4.7uF	-20/+80%	Y5V	10Vdc	0805inch_2012mm	1.35mm	Normal
CL21G152JCC1PN	Automotive	1.5nF	+/-5%	X8G	100Vdc	0805inch_2012mm	0.95mm	Normal
CL21G682JBF1PN	Automotive	6.8nF	+/-5%	X8G	50Vdc	0805inch_2012mm	1.35mm	Normal
CL21W476MRYNNW	General	47uF	+/-20%	X6T	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21W476MSYNNW	General	47uF	+/-20%	X6T	2.5Vdc	0805inch_2012mm	1.45mm	Normal
CL21X106KAYNNN	General	10uF	+/-10%	X6S	25Vdc	0805inch_2012mm	1.45mm	Normal
CL21X106KOQNNN	General	10uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KOQNNW	General	10uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KPCLRN	General	10uF	+/-10%	X6S	10Vdc	0805inch_2012mm	0.95mm	Normal
CL21X106KPQNNW	General	10uF	+/-10%	X6S	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KPYNNN	General	10uF	+/-10%	X6S	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21X106KQNNN	General	10uF	+/-10%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106KQNNW	General	10uF	+/-10%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MOQNNN	General	10uF	+/-20%	X6S	16Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MPQNNW	General	10uF	+/-20%	X6S	10Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MQNNW	General	10uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X106MRFNNN	General	10uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.35mm	Normal
CL21X107MRYNNW	General	100uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21X225KOFNNN	General	2.2uF	+/-10%	X6S	16Vdc	0805inch_2012mm	1.35mm	Normal
CL21X226MOYNNW	General	22uF	+/-20%	X6S	16Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MPYNNW	General	22uF	+/-20%	X6S	10Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MQQNFN	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQQNNN	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQQNNW	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MQYNNW	General	22uF	+/-20%	X6S	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MRQNFN	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRQNNN	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRQNNW	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.4mm	Normal
CL21X226MRYNNW	General	22uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21X226MSCLRN	General	22uF	+/-20%	X6S	2.5Vdc	0805inch_2012mm	0.95mm	Normal
CL21X475KAQNNN	General	4.7uF	+/-10%	X6S	25Vdc	0805inch_2012mm	1.4mm	Normal
CL21X476MRYNNN	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21X476MRYNNW	General	47uF	+/-20%	X6S	4Vdc	0805inch_2012mm	1.45mm	Normal
CL21Y105KCFVPJ	Automotive	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Soft Termination(5mm)
CL21Y105KCYVPN	Automotive	1uF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.45mm	Normal(Epoxy)
CL21Y106KOQ4PN	Automotive	10uF	+/-10%	X7S	16Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y106KPQVPN	Automotive	10uF	+/-10%	X7S	10Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y106KQQVPN	Automotive	10uF	+/-10%	X7S	6.3Vdc	0805inch_2012mm	1.4mm	Normal(Epoxy)
CL21Y224KCFSW6	General	220nF	+/-10%	X7S	100Vdc	0805inch_2012mm	1.35mm	Soft Termination(3mm)
CL21Y225KBYVPN	Automotive	2.2uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.45mm	Normal(Epoxy)
CL21Y475KABVPN	Automotive	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.5mm	Normal(Epoxy)
CL21Y475KAFNNN	General	4.7uF	+/-10%	X7S	25Vdc	0805inch_2012mm	1.35mm	Normal
CL21Y475KBBVPN	Automotive	4.7uF	+/-10%	X7S	50Vdc	0805inch_2012mm	1.5mm	Normal(Epoxy)
CL21Z226MQQNNN	General	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.4mm	Normal
CL21Z226MQYNNW	General	22uF	+/-20%	X7T	6.3Vdc	0805inch_2012mm	1.45mm	Normal
CL31A105KB9LNN	General	1uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A106KACLNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Normal
CL31A106KAHNFN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KAHNNN	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KAHNW	General	10uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KBHNNN	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KBHNNW	General	10uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KOCLENN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal



CL31A106KOHNNN	General	10uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KPHNNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106KPLNN	General	10uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.25mm	Normal
CL31A106KQHNNN	General	10uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MAHNNN	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MAHNNW	General	10uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MBHNNN	General	10uF	+/-20%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MOHNNN	General	10uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A106MQHNNN	General	10uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A107MPKNNW	General	100uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.9mm	Normal
CL31A107MQHNNN	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A107MQKNNW	General	100uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.9mm	Normal
CL31A107MRKNNW	General	100uF	+/-20%	X5R	4Vdc	1206inch_3216mm	1.9mm	Normal
CL31A225KB9LNN	General	2.2uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A225KC9LNN	General	2.2uF	+/-10%	X5R	100Vdc	1206inch_3216mm	1mm	Normal
CL31A226KAHNNN	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KAHNNW	General	22uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOCLFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226KOCLNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226KOHNFN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOHNNN	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KOHNNW	General	22uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KPHNNN	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KPHNNW	General	22uF	+/-10%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KQHNNN	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226KQHNNW	General	22uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MAHNNN	General	22uF	+/-20%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MOCLFN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A226MOHNNN	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MOHNNW	General	22uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MPHNNN	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MPHNNW	General	22uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A226MQHNNN	General	22uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A335KAHNNN	General	3.3uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A335KOHNNN	General	3.3uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KACLNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	0.95mm	Normal
CL31A475KAHNNN	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KAHNNW	General	4.7uF	+/-10%	X5R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KB9LNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1mm	Normal
CL31A475KBHNNN	General	4.7uF	+/-10%	X5R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475KL9LNN	General	4.7uF	+/-10%	X5R	35Vdc	1206inch_3216mm	1mm	Normal
CL31A475KOCLNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	0.95mm	Normal
CL31A475KOHNNN	General	4.7uF	+/-10%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A475MOHNNN	General	4.7uF	+/-20%	X5R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476KQHNNN	General	47uF	+/-10%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNFN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNNN	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MPHNNW	General	47uF	+/-20%	X5R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MQHNNN	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31A476MQHNNW	General	47uF	+/-20%	X5R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B102KBCNNN	General	1nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B102KDCNNN	General	1nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Normal
CL31B102KGFNFN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KGFNNN	General	1nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KHFNFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KHFSFN	General	1nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KIFNFN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KIFNNN	General	1nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B102KJHNNN	General	1nF	+/-10%	X7R	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31B103KBCNFN	General	10nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B103KCCNFN	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B103KCFNNW	General	10nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.75mm	Normal
CL31B103KDCNFN	General	10nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1mm	Normal

CL31B103KGFNFN	General	10nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFNFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFSFN	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B103KHFSW6	General	10nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Soft Termination(3mm)
CL31B103MBCNHN	General	10nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104JCFNHN	General	100nF	+/-5%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KBCNFN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KBCNHN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KBCNHN	General	100nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B104KCFNFN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KCFNHN	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Normal
CL31B104KCFZW6	General	100nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.4mm	Soft Termination(3mm)
CL31B104KDHNFN	General	100nF	+/-10%	X7R	200Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHNFN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHNNN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHSFN	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B104KEHSW6	General	100nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B104MBCNHN	General	100nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B105JAHNNN	General	1uF	+/-5%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNFN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNNN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAHNNW	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KAPLNN	General	1uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.25mm	Normal
CL31B105KBHNFN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHNNN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHNNW	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHSNN	General	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KBHVJP	Automotive	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B105KBHWPN	Automotive	1uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B105KCHNFN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHNHN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHSFN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHSNN	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105KCHSW6	General	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B105KCHVPN	Automotive	1uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B105KOFNFN	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105KOFNHN	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105KOFNNW	General	1uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B105MAHNNN	General	1uF	+/-20%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105MAHNNW	General	1uF	+/-20%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B105MOFNHN	General	1uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B106KAHN3W	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHNFN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHNNN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHSFN	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KAHVJP	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KAHVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KAHZW6	General	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B106KAKVJP	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KAKVPN	Automotive	10uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31B106KBHNFN	General	10uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KBHNNN	General	10uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHNFN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHNNN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KLHSFN	General	10uF	+/-10%	X7R	35Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHN3W	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHNFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHNNN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOHVJP	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B106KOHVPN	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KOHZFN	General	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KOKVPN	Automotive	10uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)

CL31B106KPHNFN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KPHNNN	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KPHVFN	Automotive	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B106KPHZ4N	General	10uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B106KQHNFN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106KQHNNN	General	10uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B106MOHNNN	General	10uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B152KBCNFN	General	1.5nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B152KGFNFN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B152KGFNNN	General	1.5nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B152KHFNFN	General	1.5nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B154KBCNFN	General	150nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B155KBHVFN	Automotive	1.5uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B155KOFNNN	General	1.5uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31B221KGFNFN	General	220pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KCCNFN	General	2.2nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B222KGFNFN	General	2.2nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KHFNFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KHFSFN	General	2.2nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KIFNFN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B222KIFNNN	General	2.2nF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B223KCCNFN	General	22nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B223KGFNFN	General	22nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHNFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHNNN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B223KHHSFN	General	22nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B224KACNFN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B224KACNFN	General	220nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B224KBFNFN	General	220nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B225KAHNFN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHNNN	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHNNW	General	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KAHVFN	Automotive	2.2uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225KBHNFN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHNNN	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHNNW	General	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KBHVFPJ	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B225KBHVFN	Automotive	2.2uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225KCHSFN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KCHSNN	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KCHZNNW	General	2.2uF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNFN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNNN	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHNNW	General	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B225KOHVFN	Automotive	2.2uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B225MOHNNN	General	2.2uF	+/-20%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNFN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNNN	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPHNNW	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KPKVPG	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31B226KPKVPJ	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B226KPKVFN	Automotive	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31B226KPKZ4N	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	2.9mm	Normal
CL31B226KPKZNNW	General	22uF	+/-10%	X7R	10Vdc	1206inch_3216mm	2.9mm	Normal
CL31B226KQHNNN	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KQHNNW	General	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31B226KQKVPJ	Automotive	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B226KQKVPN	Automotive	22uF	+/-10%	X7R	6.3Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31B226MPHNNN	General	22uF	+/-20%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B331KBCNFN	General	330pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B331KHFNFN	General	330pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B332KBCNFN	General	3.3nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B332KCCNFN	General	3.3nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal

CL31B332KGFNFN	General	3.3nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B332KHFSFN	General	3.3nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B333JBCNNN	General	33nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B333KCCNNN	General	33nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1mm	Normal
CL31B333KEHNNN	General	33nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KGFNFN	General	33nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KHHNFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B333KHHFSFN	General	33nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31B334JBFNNN	General	330nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KACNNN	General	330nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1mm	Normal
CL31B334KBFNFN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBFNNN	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBFNNW	General	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31B334KBHWPN	Automotive	330nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B334KOCNNN	General	330nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Normal
CL31B335KAHVPN	Automotive	3.3uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B335KOHNFN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B335KOHNNN	General	3.3uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B471KGFNFN	General	470pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B471KHFNFN	General	470pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KGFNFN	General	4.7nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFNFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFNFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B472KHFSFN	General	4.7nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B473JBCNNN	General	47nF	+/-5%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B473KBCNNN	General	47nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B473KEHNNN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B473KEHSFN	General	47nF	+/-10%	X7R	250Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNFN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNNN	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHNNW	General	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KBHWPN	Automotive	470nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B474KCHSFN	General	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal
CL31B474KCHWPN	Automotive	470nF	+/-10%	X7R	100Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B474KOCNNN	General	470nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Normal
CL31B474MBHNNN	General	470nF	+/-20%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHNFN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHNNN	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHNNW	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KAHVJP	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KAHVPN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KAHZW6	General	4.7uF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31B475KBHN3N	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHNFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHNNN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHNNW	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KBHVJP	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KBHVPN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KBHZFN	General	4.7uF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHNFN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHNNN	General	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KOHVJP	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KOHVPN	Automotive	4.7uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B475KPHNFN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KPHNNN	General	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31B475KPHVJP	Automotive	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31B475KPHVPN	Automotive	4.7uF	+/-10%	X7R	10Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B561KBCNNN	General	560pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B681KBCNNN	General	680pF	+/-10%	X7R	50Vdc	1206inch_3216mm	1mm	Normal
CL31B681KGFNFN	General	680pF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B681KHFNFN	General	680pF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31B681KIFNFN	General	680pF	+/-10%	X7R	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31B682KGFNFN	General	6.8nF	+/-10%	X7R	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31B682KHFNFN	General	6.8nF	+/-10%	X7R	630Vdc	1206inch_3216mm	1.4mm	Normal

CL31B684KAHNNN	General	680nF	+/-10%	X7R	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31B684KBHWP	Automotive	680nF	+/-10%	X7R	50Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31B684KOCNNN	General	680nF	+/-10%	X7R	16Vdc	1206inch_3216mm	1mm	Normal
CL31B685KOHVFN	Automotive	6.8uF	+/-10%	X7R	16Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31C100DBCNNN	General	10pF	+/-0.5pF	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C100JBCNNN	General	10pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C100JGFNNN	General	10pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JGFNNW	General	10pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JHFNNN	General	10pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C100JIFNNN	General	10pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101FBCNNN	General	100pF	+/-1%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C101JBCNFN	General	100pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C101JCCNFN	General	100pF	+/-5%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C101JGFNFN	General	100pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JGFNNN	General	100pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JHFNFN	General	100pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JHFNNN	General	100pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JIFNFN	General	100pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JIFNNN	General	100pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C101JJHNNN	General	100pF	+/-5%	C0G	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C101KGFNNN	General	100pF	+/-10%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C102FBCNNN	General	1nF	+/-1%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C102JBCNNW	General	1nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C102JCCNNW	General	1nF	+/-5%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C102JDFNNN	General	1nF	+/-5%	C0G	200Vdc	1206inch_3216mm	1.4mm	Normal
CL31C102JGHNFN	General	1nF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHHNFN	General	1nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHHNNN	General	1nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C102JHMLNN	General	1nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.3mm	Normal
CL31C102KCCNNW	General	1nF	+/-10%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C103GAFNNW	General	10nF	+/-2%	C0G	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31C103JAFNNN	General	10nF	+/-5%	C0G	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31C103JAFNNW	General	10nF	+/-5%	C0G	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31C121JBCNNN	General	120pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C122JBCNNN	General	1.2nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C122JHHNNN	General	1.2nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C150JBCNNN	General	15pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C150JHFNNN	General	15pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C150JJHNNN	General	15pF	+/-5%	C0G	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C151JGFNNN	General	150pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JHFNFN	General	150pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JHFNNN	General	150pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C151JIFNNN	General	150pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C152GBCNNW	General	1.5nF	+/-2%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C152JBCNNN	General	1.5nF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C152JCCNNN	General	1.5nF	+/-5%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C152JHHNFN	General	1.5nF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C180JBCNNN	General	18pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C181JBCNNN	General	180pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C181JJHNNN	General	180pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C220JBCNNN	General	22pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C220JCCNNN	General	22pF	+/-5%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C220JHFNFN	General	22pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JHFNNN	General	22pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JIFNFN	General	22pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C220JIFNNN	General	22pF	+/-5%	C0G	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JBCNFN	General	220pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C221JBCNNN	General	220pF	+/-5%	C0G	50Vdc	1206inch_3216mm	1mm	Normal
CL31C221JCCNNN	General	220pF	+/-5%	C0G	100Vdc	1206inch_3216mm	1mm	Normal
CL31C221JGFNFN	General	220pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JGFNNN	General	220pF	+/-5%	C0G	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNFN	General	220pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNNN	General	220pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C221JHFNNW	General	220pF	+/-5%	C0G	630Vdc	1206inch_3216mm	1.4mm	Normal

CL31C221JIHNFN	General	220pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C221JHNNNN	General	220pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C222JBCNNN	General	2.2nF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C222JCCNNN	General	2.2nF	+/-5%	COG	100Vdc	1206inch_3216mm	1mm	Normal
CL31C222JHHNFN	General	2.2nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C222JHHNNN	General	2.2nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C270JBCNNN	General	27pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C270JHFNNN	General	27pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C271JBCNNN	General	270pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C271JGFNNN	General	270pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C271JIHNNN	General	270pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C273JBHNNW	General	27nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C2R2CBCNNN	General	2.2pF	+/-0.25pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C330JHFNNN	General	33pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C330JIFNFN	General	33pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C330JIFNNN	General	33pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C331JBCNNN	General	330pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C331JHFNFN	General	330pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C331JHFNNN	General	330pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C331JIHNNN	General	330pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C332JBFNNN	General	3.3nF	+/-1%	COG	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JBFNNN	General	3.3nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JBFNNW	General	3.3nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31C332JHHNFN	General	3.3nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C332JHHNNN	General	3.3nF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C333JBHNNW	General	33nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C390JGFNNW	General	39pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C391JBCNNN	General	390pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C391JHFNNN	General	390pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C3R9BBCNNN	General	3.9pF	+/-0.1pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C470JHFNFN	General	47pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JHFNNN	General	47pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JIFNFN	General	47pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JIFNNN	General	47pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C470JHNNN	General	47pF	+/-5%	COG	2000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C471JGFNNN	General	470pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JHFNFN	General	470pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JHFNNN	General	470pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C471JIHNFN	General	470pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C471JIHNNN	General	470pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.8mm	Normal
CL31C473JBHNNN	General	47nF	+/-5%	COG	50Vdc	1206inch_3216mm	1.8mm	Normal
CL31C4R7CBCNNN	General	4.7pF	+/-0.25pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C561JBCNNN	General	560pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C680JHFNNN	General	68pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.4mm	Normal
CL31C680JIFNFN	General	68pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C680JIFNNN	General	68pF	+/-5%	COG	1000Vdc	1206inch_3216mm	1.4mm	Normal
CL31C681JBCNNN	General	680pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C681JGHNFN	General	680pF	+/-5%	COG	500Vdc	1206inch_3216mm	1.8mm	Normal
CL31C681JHHNFN	General	680pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C681JHHNNN	General	680pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31C6R8CBCNNN	General	6.8pF	+/-0.25pF	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C820JBCNNN	General	82pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C821JBCNNN	General	820pF	+/-5%	COG	50Vdc	1206inch_3216mm	1mm	Normal
CL31C821JHHNNN	General	820pF	+/-5%	COG	630Vdc	1206inch_3216mm	1.8mm	Normal
CL31E225KAH4PN	Automotive	2.2uF	+/-10%	X8L	25Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31F105ZACNNN	General	1uF	-20/+80%	Y5V	25Vdc	1206inch_3216mm	1mm	Normal
CL31F105ZBFNNN	General	1uF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1.4mm	Normal
CL31F105ZOCNNN	General	1uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Normal
CL31F106ZPFNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.4mm	Normal
CL31F106ZPHNNN	General	10uF	-20/+80%	Y5V	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31F224ZBCNNN	General	220nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Normal
CL31F225ZAFNNN	General	2.2uF	-20/+80%	Y5V	25Vdc	1206inch_3216mm	1.4mm	Normal
CL31F225ZOCNNN	General	2.2uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1mm	Normal
CL31F334ZBCNNN	General	330nF	-20/+80%	Y5V	50Vdc	1206inch_3216mm	1mm	Normal

CL31F335ZOFNNN	General	3.3uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31F475ZOFNNN	General	4.7uF	-20/+80%	Y5V	16Vdc	1206inch_3216mm	1.4mm	Normal
CL31X106KAHNNN	General	10uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X107MRKNNW	General	100uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.9mm	Normal
CL31X226KAHN3N	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KAHNF3	General	22uF	+/-10%	X6S	25Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KOHN3N	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KOHNNN	General	22uF	+/-10%	X6S	16Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KPHN3N	General	22uF	+/-10%	X6S	10Vdc	1206inch_3216mm	1.8mm	Normal
CL31X226KQHNNN	General	22uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476KQHNNN	General	47uF	+/-10%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNFN	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNNN	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MQHNNW	General	47uF	+/-20%	X6S	6.3Vdc	1206inch_3216mm	1.8mm	Normal
CL31X476MRHNNN	General	47uF	+/-20%	X6S	4Vdc	1206inch_3216mm	1.8mm	Normal
CL31Y106KBKVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31Y106KBKVPN	Automotive	10uF	+/-10%	X7S	50Vdc	1206inch_3216mm	1.9mm	Normal(Epoxy)
CL31Y225KCHVPJ	Automotive	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.9mm	Soft Termination(5mm)
CL31Y225KCHVPN	Automotive	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.8mm	Normal(Epoxy)
CL31Y225KCHZ4N	General	2.2uF	+/-10%	X7S	100Vdc	1206inch_3216mm	1.8mm	Soft Termination(3mm)
CL31Y476MRHNNW	General	47uF	+/-20%	X7S	4Vdc	1206inch_3216mm	1.8mm	Normal
CL32A106KAJNNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KATLNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	1.7mm	Normal
CL32A106KAULNN	General	10uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2mm	Normal
CL32A106KBJNNN	General	10uF	+/-10%	X5R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KLULNN	General	10uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Normal
CL32A106KOCLNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	0.95mm	Normal
CL32A106KOJNNN	General	10uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106KPINNN	General	10uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.2mm	Normal
CL32A106MBJNNN	General	10uF	+/-20%	X5R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32A106MOJNNN	General	10uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A107MPVNNN	General	100uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.8mm	Normal
CL32A107MQVNNN	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A107MQVNNW	General	100uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A157MQVNNN	General	150uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A226KAJNFN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KAJNNN	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KAJNNW	General	22uF	+/-10%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNFN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNNN	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KOJNNW	General	22uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KPJNNN	General	22uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KQJNNN	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226KQJNNW	General	22uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MAJNNN	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MAJNNW	General	22uF	+/-20%	X5R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MOCLNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	0.95mm	Normal
CL32A226MOJNNN	General	22uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MPJNNN	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MPJNNW	General	22uF	+/-20%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MQJNNN	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A226MQJNNW	General	22uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A227MQVNNN	General	220uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32A475KLULNN	General	4.7uF	+/-10%	X5R	35Vdc	1210inch_3225mm	2mm	Normal
CL32A476KOJNNN	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KOJNNW	General	47uF	+/-10%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KPJNNN	General	47uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KPJNNW	General	47uF	+/-10%	X5R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476KQJNNN	General	47uF	+/-10%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MOJNNN	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MOJNNW	General	47uF	+/-20%	X5R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32A476MQJNNN	General	47uF	+/-20%	X5R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32B103KGFNNN	General	10nF	+/-10%	X7R	500Vdc	1210inch_3225mm	1.45mm	Normal
CL32B104KEJNNN	General	100nF	+/-10%	X7R	250Vdc	1210inch_3225mm	2.7mm	Normal

CL32B105KAFNNN	General	1uF	+/-10%	X7R	25Vdc	1210inch_3225mm	1.45mm	Normal
CL32B105KBHNNN	General	1uF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32B105KCJNNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B105KCSJNN	General	1uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B105MBHNNN	General	1uF	+/-20%	X7R	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32B106KAJ4PN	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B106KAJNFN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KAJNNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KAJVPJ	Automotive	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B106KAUL3N	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Normal
CL32B106KAULNN	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Normal
CL32B106KAULNW	General	10uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2mm	Normal
CL32B106KBJNFN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KBJNNN	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KBJZW6	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B106KBVZ4N	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Normal
CL32B106KBVZNW	General	10uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Normal
CL32B106KLJNNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KLULNN	General	10uF	+/-10%	X7R	35Vdc	1210inch_3225mm	2mm	Normal
CL32B106KOJNNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B106KOULNN	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2mm	Normal
CL32B106KOVZNNW	General	10uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.8mm	Normal
CL32B106KPINNN	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.2mm	Normal
CL32B106KPVZNNW	General	10uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.8mm	Normal
CL32B154KBFNNN	General	150nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32B223KIIZNW	General	22nF	+/-10%	X7R	1000Vdc	1210inch_3225mm	2.2mm	Normal
CL32B225KAINNN	General	2.2uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.2mm	Normal
CL32B225KBJNNN	General	2.2uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCSJFN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCSJNN	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32B225KCVJPN	Automotive	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B225KCVJPN	Automotive	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B225KCVJZW6	General	2.2uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B226KAJNFN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KAJNNN	General	22uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJNFN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJNNN	General	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KOJVPJ	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B226KOJVPN	Automotive	22uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B226KPJNNN	General	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226KPJVPN	Automotive	22uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B226MOJNNN	General	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B226MOJVPN	Automotive	22uF	+/-20%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B473KHINNWW	General	47nF	+/-10%	X7R	630Vdc	1210inch_3225mm	2.2mm	Normal
CL32B474KBFNNN	General	470nF	+/-10%	X7R	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32B475KAJVPN	Automotive	4.7uF	+/-10%	X7R	25Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B475KBJNFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJNNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJNNWW	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal
CL32B475KBJSW6	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Soft Termination(3mm)
CL32B475KBJVPJ	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32B475KBJVPN	Automotive	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32B475KBUYFN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Normal
CL32B475KBUYNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2mm	Normal
CL32B475KBVZNN	General	4.7uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.8mm	Normal
CL32B475KCIZNNW	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.2mm	Normal
CL32B475KCVZNNW	General	4.7uF	+/-10%	X7R	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(3mm)
CL32B475KIOINNN	General	4.7uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.2mm	Normal
CL32B475KOJNNWW	General	4.7uF	+/-10%	X7R	16Vdc	1210inch_3225mm	2.7mm	Normal
CL32B476KPJNNN	General	47uF	+/-10%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B476MPJNNN	General	47uF	+/-20%	X7R	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32B476MQJNNN	General	47uF	+/-20%	X7R	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32B685KBJVPN	Automotive	6.8uF	+/-10%	X7R	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32C101JFNNN	General	100pF	+/-5%	C0G	2000Vdc	1210inch_3225mm	1.45mm	Normal



CL32C103FBFNNN	General	10nF	+/-1%	C0G	50Vdc	1210inch_3225mm	1.45mm	Normal
CL32C113JBHNNN	General	11nF	+/-5%	C0G	50Vdc	1210inch_3225mm	1.8mm	Normal
CL32C473JCJNNW	General	47nF	+/-5%	C0G	100Vdc	1210inch_3225mm	2.7mm	Normal
CL32F106ZAHNNN	General	10uF	-20/+80%	Y5V	25Vdc	1210inch_3225mm	1.8mm	Normal
CL32F106ZLHNNN	General	10uF	-20/+80%	Y5V	35Vdc	1210inch_3225mm	1.8mm	Normal
CL32F106ZOHNNN	General	10uF	-20/+80%	Y5V	16Vdc	1210inch_3225mm	1.8mm	Normal
CL32X107MQVNNN	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32X107MQVNNW	General	100uF	+/-20%	X6S	6.3Vdc	1210inch_3225mm	2.7mm	Normal
CL32X107MRVNNW	General	100uF	+/-20%	X6S	4Vdc	1210inch_3225mm	2.8mm	Normal
CL32X476KPJNNN	General	47uF	+/-10%	X6S	10Vdc	1210inch_3225mm	2.7mm	Normal
CL32Y106KBJ4PN	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CL32Y106KBJVPJ	Automotive	10uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.8mm	Soft Termination(5mm)
CL32Y107MQVN4N	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y107MQVNNW	General	100uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y226KAVVPJ	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.85mm	Soft Termination(5mm)
CL32Y226KAVVPN	Automotive	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y226KAVZNW	General	22uF	+/-10%	X7S	25Vdc	1210inch_3225mm	2.8mm	Normal
CL32Y475KCIVPJ	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.3mm	Soft Termination(5mm)
CL32Y475KCIVPN	Automotive	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Normal(Epoxy)
CL32Y475KCIZ4N	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.2mm	Soft Termination(3mm)
CL32Y475KCVZW6	General	4.7uF	+/-10%	X7S	100Vdc	1210inch_3225mm	2.8mm	Soft Termination(3mm)
CL32Y476MPVVPN	Automotive	47uF	+/-20%	X7S	10Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y476MQVVPJ	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.85mm	Soft Termination(5mm)
CL32Y476MQVVPN	Automotive	47uF	+/-20%	X7S	6.3Vdc	1210inch_3225mm	2.8mm	Normal(Epoxy)
CL32Y685KBJVPN	Automotive	6.8uF	+/-10%	X7S	50Vdc	1210inch_3225mm	2.7mm	Normal(Epoxy)
CLL3A223KAWHLN	General	22nF	+/-10%	X5R	25Vdc	0102inch_0306mm	0.2mm	Reverse(Low ESL)
CLL5A224MRJHLC	General	220nF	+/-20%	X5R	4Vdc	0204inch_0510mm	0.1mm	Reverse(Low ESL)
CLL5X105MR3NLN	General	1uF	+/-20%	X6S	4Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLL5Y104MQ3NLN	General	100nF	+/-20%	X7S	6.3Vdc	0204inch_0510mm	0.35mm	Reverse(Low ESL)
CLR1A102MQ1NNN	General	1nF	+/-20%	X5R	6.3Vdc	008004inch_0201mm	0.138mm	Normal
CLR5A105MQ2CNN	General	1uF	+/-20%	X5R	6.3Vdc	015008inch_05025mm	0.275mm	Normal

Part name	Inductance	Tolerance	DCR Max	Rated Current	Size code	Thickness Max	Use for	Feature
CIGT1412R6TMR33MB	0.33uH	+/-20%	0.032ohm	3.4A	0605inch_1412mm	0.65mm	General	Bottom Type
CIGT1412R6TMR47MB	0.47uH	+/-20%	0.038ohm	3.2A	0605inch_1412mm	0.65mm	General	Bottom Type
CIGT160806TMR33MB	0.33uH	+/-20%	0.04ohm	2.4A	0603inch_1608mm	0.6mm	General	Bottom Type
CIGT160806TMR47MB	0.47uH	+/-20%	0.05ohm	2.5A	0603inch_1608mm	0.6mm	General	Bottom Type
CIGT160808XMR24MN	0.24uH	+/-20%	0.024ohm	4.3A	0603inch_1608mm	0.8mm	General	General Type
CIGT1608R6EH1R0MN	1uH	+/-20%	0.16ohm	1.5A	0603inch_1608mm	0.65mm	General	General Type
CIGT201206EH1R0MN	1uH	+/-20%	0.11ohm	1.8A	0805inch_2012mm	0.6mm	General	General Type
CIGT201206EHR47MR	0.47uH	+/-20%	0.05ohm	3A	0805inch_2012mm	0.6mm	General	General Type
CIGT201206TMR47MB	0.47uH	+/-20%	0.038ohm	3.3A	0805inch_2012mm	0.6mm	General	Bottom Type
CIGT201206UM1R0MN	1uH	+/-20%	0.184ohm	1.1A	0805inch_2012mm	0.6mm	General	General Type
CIGT201208EH1R0MN	1uH	+/-20%	0.055ohm	3.1A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208EH2R2MN	2.2uH	+/-20%	0.11ohm	1.6A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208EHR47MN	0.47uH	+/-20%	0.035ohm	3.7A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208EKR56MR	0.56uH	+/-20%	0.048ohm	3.2A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208EM1R0MN	1uH	+/-20%	0.06ohm	2.5A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208EMR47MN	0.47uH	+/-20%	0.043ohm	3A	0805inch_2012mm	0.8mm	General	General Type
CIGT201208KMR47ML	0.47uH	+/-20%	0.029ohm	3.8A	0805inch_2012mm	0.8mm	General	L Type
CIGT201208TMR47ML	0.47uH	+/-20%	0.024ohm	4.2A	0805inch_2012mm	0.8mm	General	L Type
CIGT201208TMR47YL	0.47uH	+/-20%	0.024ohm	4.2A	0805inch_2012mm	0.8mm	General	L Type
CIGT201210EH1R0MN	1uH	+/-20%	0.05ohm	3.5A	0805inch_2012mm	1mm	General	General Type
CIGT201210EHR47MN	0.47uH	+/-20%	0.025ohm	4.3A	0805inch_2012mm	1mm	General	General Type
CIGT201210EM1R0MN	1uH	+/-20%	0.06ohm	2.3A	0805inch_2012mm	1mm	General	General Type
CIGT201210UH1R0MN	1uH	+/-20%	0.071ohm	2.5A	0805inch_2012mm	1mm	General	General Type
CIGT201210UHR24MN	0.24uH	+/-20%	0.022ohm	4.4A	0805inch_2012mm	1mm	General	General Type
CIGT201210UHR33MN	0.33uH	+/-20%	0.026ohm	4A	0805inch_2012mm	1mm	General	General Type
CIGT201210UHR47MN	0.47uH	+/-20%	0.031ohm	3.6A	0805inch_2012mm	1mm	General	General Type
CIGT201210UHR68MN	0.68uH	+/-20%	0.047ohm	3A	0805inch_2012mm	1mm	General	General Type
CIGT201210UMR47MN	0.47uH	+/-20%	0.04ohm	3A	0805inch_2012mm	1mm	General	General Type
CIGT2012R5EKR56ML	0.56uH	+/-20%	0.075ohm	2.1A	0805inch_2012mm	0.55mm	General	L Type
CIGT2012R6TMR47MB	0.47uH	+/-20%	0.034ohm	3.4A	0805inch_2012mm	0.65mm	General	Bottom Type
CIGT2012R6TMR47ML	0.47uH	+/-20%	0.034ohm	4A	0805inch_2012mm	0.65mm	General	L Type
CIGT201608EH1R0MN	1uH	+/-20%	0.048ohm	3.6A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608EH2R2MN	2.2uH	+/-20%	0.09ohm	2.3A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608EHR47MN	0.47uH	+/-20%	0.027ohm	4.3A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608EM1R0MN	1uH	+/-20%	0.057ohm	2.7A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608EM1R5MN	1.5uH	+/-20%	0.12ohm	1.9A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608EM2R2MN	2.2uH	+/-20%	0.11ohm	2A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608KMR47MR	0.47uH	+/-20%	0.029ohm	4.2A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608LM1R0MN	1uH	+/-20%	0.072ohm	2.3A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608LMR24MN	0.24uH	+/-20%	0.023ohm	3.6A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608LMR47MN	0.47uH	+/-20%	0.041ohm	2.9A	0806inch_2016mm	0.8mm	General	General Type
CIGT201608LMR68MN	0.68uH	+/-20%	0.053ohm	2.7A	0806inch_2016mm	0.8mm	General	General Type
CIGT201610EH1R0MN	1uH	+/-20%	0.043ohm	4.1A	0806inch_2016mm	1mm	General	General Type
CIGT201610EH2R2MN	2.2uH	+/-20%	0.087ohm	2.5A	0806inch_2016mm	1mm	General	General Type
CIGT201610EHR47MN	0.47uH	+/-20%	0.022ohm	4.8A	0806inch_2016mm	1mm	General	General Type
CIGT201610LH1R0MN	1uH	+/-20%	0.057ohm	2.8A	0806inch_2016mm	1mm	General	General Type
CIGT201610LH2R2MN	2.2uH	+/-20%	0.139ohm	1.8A	0806inch_2016mm	1mm	General	General Type
CIGT201610LHR47MN	0.47uH	+/-20%	0.033ohm	3.6A	0806inch_2016mm	1mm	General	General Type
CIGT201610LM1R0MN	1uH	+/-20%	0.072ohm	2.4A	0806inch_2016mm	1mm	General	General Type
CIGT201610LM2R2MN	2.2uH	+/-20%	0.154ohm	1.6A	0806inch_2016mm	1mm	General	General Type
CIGT201610LMR24MN	0.24uH	+/-20%	0.023ohm	4A	0806inch_2016mm	1mm	General	General Type
CIGT201610LMR47MN	0.47uH	+/-20%	0.041ohm	3A	0806inch_2016mm	1mm	General	General Type

CIGT201610LMR68MN	0.68uH	+/-20%	0.053ohm	2.7A	0806inch_2016mm	1mm	General	General Type
CIGT201610UH1R0MN	1uH	+/-20%	0.048ohm	3.1A	0806inch_2016mm	1mm	General	General Type
CIGT201610UH2R2MN	2.2uH	+/-20%	0.13ohm	2A	0806inch_2016mm	1mm	General	General Type
CIGT201610UHR47MN	0.47uH	+/-20%	0.024ohm	4.4A	0806inch_2016mm	1mm	General	General Type
CIGT201610UL2R2MN	2.2uH	+/-20%	0.13ohm	1.7A	0806inch_2016mm	1mm	General	General Type
CIGT201610UM1R0MN	1uH	+/-20%	0.057ohm	2.8A	0806inch_2016mm	1mm	General	General Type
CIGT201610UM1R5MN	1.5uH	+/-20%	0.11ohm	2A	0806inch_2016mm	1mm	General	General Type
CIGT201610UMR47MN	0.47uH	+/-20%	0.036ohm	3.2A	0806inch_2016mm	1mm	General	General Type
CIGT2016R5HS1R0ML	1uH	+/-20%	0.104ohm	1.8A	0806inch_2016mm	0.55mm	General	L Type
CIGT2016R6MH100MN	10uH	+/-20%	1.4ohm	0.45A	0806inch_2016mm	0.65mm	General	General Type
CIGT2016R6TMR47ML	0.47uH	+/-20%	0.031ohm	4.5A	0806inch_2016mm	0.65mm	General	L Type
CIGT252007LM1R0MN	1uH	+/-20%	0.06ohm	2.5A	1008inch_2520mm	0.7mm	General	General Type
CIGT252007LM2R2MN	2.2uH	+/-20%	0.14ohm	1.6A	1008inch_2520mm	0.7mm	General	General Type
CIGT252007LM3R3MN	3.3uH	+/-20%	0.291ohm	1.1A	1008inch_2520mm	0.7mm	General	General Type
CIGT252008KM1R0MR	1uH	+/-20%	0.043ohm	4A	1008inch_2520mm	0.8mm	General	General Type
CIGT252008LM1R0MN	1uH	+/-20%	0.05ohm	3.1A	1008inch_2520mm	0.8mm	General	General Type
CIGT252008LM2R2MN	2.2uH	+/-20%	0.097ohm	2A	1008inch_2520mm	0.8mm	General	General Type
CIGT252008LMR24MN	0.24uH	+/-20%	0.016ohm	6A	1008inch_2520mm	0.8mm	General	General Type
CIGT252008LMR33MN	0.33uH	+/-20%	0.026ohm	4.3A	1008inch_2520mm	0.8mm	General	General Type
CIGT252008LMR47MN	0.47uH	+/-20%	0.029ohm	4.2A	1008inch_2520mm	0.8mm	General	General Type
CIGT252010EH1R0MN	1uH	+/-20%	0.03ohm	4.1A	1008inch_2520mm	1mm	General	General Type
CIGT252010EH2R2MN	2.2uH	+/-20%	0.075ohm	2.63A	1008inch_2520mm	1mm	General	General Type
CIGT252010EHR22MR	0.22uH	+/-20%	0.013ohm	6.6A	1008inch_2520mm	1mm	General	General Type
CIGT252010EHR47MN	0.47uH	+/-20%	0.023ohm	4.9A	1008inch_2520mm	1mm	General	General Type
CIGT252010EL1R0ML	1uH	+/-20%	0.025ohm	4.7A	1008inch_2520mm	1mm	General	L Type
CIGT252010LM1R0MN	1uH	+/-20%	0.05ohm	3.1A	1008inch_2520mm	1mm	General	General Type
CIGT252010LM1R5MN	1.5uH	+/-20%	0.078ohm	2.6A	1008inch_2520mm	1mm	General	General Type
CIGT252010LM2R2MN	2.2uH	+/-20%	0.097ohm	2.1A	1008inch_2520mm	1mm	General	General Type
CIGT252010LMR24MN	0.24uH	+/-20%	0.016ohm	6A	1008inch_2520mm	1mm	General	General Type
CIGT252010LMR33MN	0.33uH	+/-20%	0.022ohm	5A	1008inch_2520mm	1mm	General	General Type
CIGT252010LMR47MN	0.47uH	+/-20%	0.029ohm	4.2A	1008inch_2520mm	1mm	General	General Type
CIGT252010LMR68MN	0.68uH	+/-20%	0.045ohm	3.3A	1008inch_2520mm	1mm	General	General Type
CIGT252010TM1R0ML	1uH	+/-20%	0.023ohm	5A	1008inch_2520mm	1mm	General	L Type
CIGT252012LM1R0MN	1uH	+/-20%	0.04ohm	3.4A	1008inch_2520mm	1.2mm	General	General Type
CIGT252012LM2R2MN	2.2uH	+/-20%	0.089ohm	2A	1008inch_2520mm	1.2mm	General	General Type
CIGT252012LMR47MN	0.47uH	+/-20%	0.025ohm	4.3A	1008inch_2520mm	1.2mm	General	General Type
CIGT252012LMR68MN	0.68uH	+/-20%	0.033ohm	3.56A	1008inch_2520mm	1.2mm	General	General Type
CIGW160808EHR47ML	0.47uH	+/-20%	0.043ohm	3A	0603inch_1608mm	0.8mm	General	L Type
CIGW160808ELR47ML	0.47uH	+/-20%	0.035ohm	3.3A	0603inch_1608mm	0.8mm	General	L Type
CIGW160808XMR47ML	0.47uH	+/-20%	0.043ohm	3A	0603inch_1608mm	0.8mm	General	L Type
CIGW201610GH1R0ML	1uH	+/-20%	0.054ohm	2.7A	0806inch_2016mm	1mm	General	L Type
CIGW201610GH1R5ML	1.5uH	+/-20%	0.085ohm	2.1A	0806inch_2016mm	1mm	General	L Type
CIGW201610GH2R2ML	2.2uH	+/-20%	0.117ohm	1.8A	0806inch_2016mm	1mm	General	L Type
CIGW201610GH4R7ML	4.7uH	+/-20%	0.279ohm	1.1A	0806inch_2016mm	1mm	General	L Type
CIGW201610GHR33ML	0.33uH	+/-20%	0.023ohm	4A	0806inch_2016mm	1mm	General	L Type
CIGW201610GHR47ML	0.47uH	+/-20%	0.032ohm	3.6A	0806inch_2016mm	1mm	General	L Type
CIGW201610GHR68ML	0.68uH	+/-20%	0.039ohm	3.2A	0806inch_2016mm	1mm	General	L Type
CIGW201610GL1R0ML	1uH	+/-20%	0.048ohm	3A	0806inch_2016mm	1mm	General	L Type
CIGW201610GL1R5ML	1.5uH	+/-20%	0.075ohm	2.4A	0806inch_2016mm	1mm	General	L Type
CIGW201610GL2R2ML	2.2uH	+/-20%	0.1ohm	2A	0806inch_2016mm	1mm	General	L Type
CIGW201610GL4R7ML	4.7uH	+/-20%	0.24ohm	1.3A	0806inch_2016mm	1mm	General	L Type
CIGW201610GLR33ML	0.33uH	+/-20%	0.022ohm	5.2A	0806inch_2016mm	1mm	General	L Type
CIGW201610GLR47ML	0.47uH	+/-20%	0.026ohm	4.7A	0806inch_2016mm	1mm	General	L Type
CIGW201610GM4R7ML	4.7uH	+/-20%	0.29ohm	1.3A	0806inch_2016mm	1mm	General	L Type
CIGW201612EH4R7ML	4.7uH	+/-20%	0.21ohm	1.1A	0806inch_2016mm	1.2mm	General	L Type

CIGW252010EH4R7MN	4.7uH	+/-20%	0.15ohm	1.4A	1008inch_2520mm	1mm	General	General Type
CIGW252010GL1R0MN	1uH	+/-20%	0.04ohm	3.3A	1008inch_2520mm	1mm	General	General Type
CIGW252010GL1R5MN	1.5uH	+/-20%	0.054ohm	3.2A	1008inch_2520mm	1mm	General	General Type
CIGW252010GL2R2MN	2.2uH	+/-20%	0.093ohm	2.2A	1008inch_2520mm	1mm	General	General Type
CIGW252010GL3R3MN	3.3uH	+/-20%	0.112ohm	1.8A	1008inch_2520mm	1mm	General	General Type
CIGW252010GL4R7MN	4.7uH	+/-20%	0.216ohm	1.4A	1008inch_2520mm	1mm	General	General Type
CIGW252010GLR33MN	0.33uH	+/-20%	0.016ohm	6.2A	1008inch_2520mm	1mm	General	General Type
CIGW252010GLR47MN	0.47uH	+/-20%	0.02ohm	5.9A	1008inch_2520mm	1mm	General	General Type
CIGW252010GLR68MN	0.68uH	+/-20%	0.029ohm	5.2A	1008inch_2520mm	1mm	General	General Type
CIGW252010GM1R0MN	1uH	+/-20%	0.048ohm	3.3A	1008inch_2520mm	1mm	General	General Type
CIGW252012GL4R7MN	4.7uH	+/-20%	0.21ohm	1.4A	1008inch_2520mm	1.2mm	General	General Type
CIGW252012GM1R0ML	1uH	+/-20%	0.046ohm	3.4A	1008inch_2520mm	1.2mm	General	L Type
CIGW252012GM6R8MN	6.8uH	+/-20%	0.3ohm	1.3A	1008inch_2520mm	1.2mm	General	General Type
CIGW252012TM1R0ML	1uH	+/-20%	0.027ohm	4.8A	1008inch_2520mm	1.2mm	General	L Type
CIGW252012TM1R5ML	1.5uH	+/-20%	0.04ohm	4.2A	1008inch_2520mm	1.2mm	General	L Type
CIGW252012TMR47ML	0.47uH	+/-20%	0.0145ohm	6.5A	1008inch_2520mm	1.2mm	General	L Type
CIGW322512KMR47ML	0.47uH	+/-20%	0.0145ohm	8.1A	1210inch_3225mm	1.2mm	General	L Type
CIGW322512KMR68ML	0.68uH	+/-20%	0.0185ohm	6.9A	1210inch_3225mm	1.2mm	General	L Type
CIGW404012GM1R0ML	1uH	+/-20%	0.025ohm	5.1A	1616inch_4040mm	1.2mm	General	General Type
CIGW404020KM1R0ML	1uH	+/-20%	0.0155ohm	9.3A	1616inch_4040mm	2.0mm	General	L Type
CIGW404020KM1R2ML	1.2uH	+/-20%	0.0165ohm	8.5A	1616inch_4040mm	2.0mm	General	L Type
CIGW404020KMR47ML	0.47uH	+/-20%	0.0069ohm	12.7A	1616inch_4040mm	2.0mm	General	L Type
CIGW404020KMR68ML	0.68uH	+/-20%	0.0084ohm	10.8A	1616inch_4040mm	2.0mm	General	L Type

Part name	Capacitance	Tolerance	Rated Voltage	ESR at 100kHz	Size code	Thickness Max	Use for	Feature
TCPBL18276MTAR0070	27uF	+/-20%	18Vdc	70mohm	1411inch_3528mm	1.2mm	General	PBL
TCPBL1C336MTAR0070	33uF	+/-20%	16Vdc	70mohm	1411inch_3528mm	1.2mm	General	PBL
TCPBL1D156MBAR101S	15uF	+/-20%	20Vdc	100mohm	1411inch_3528mm	1mm	General	PBL
TCPBL1E106MTAR0070	10uF	+/-20%	25Vdc	70mohm	1411inch_3528mm	1.2mm	General	PBL
TCPCF08226MPAR201B	22uF	+/-20%	8Vdc	200mohm	0805inch_2012mm	0.65mm	General	PCF
TCPCF08336MOAR201U	33uF	+/-20%	8Vdc	200mohm	0805inch_2012mm	0.8mm	General	PCF
TCPCF08476MNAR201T	47uF	+/-20%	8Vdc	200mohm	0805inch_2012mm	0.9mm	General	PCF
TCPCF0J226MJAR0300	22uF	+/-20%	6.3Vdc	300mohm	0603inch_1608mm	1mm	General	PCF
TCPCF0J476MNAR201T	47uF	+/-20%	6.3Vdc	200mohm	0805inch_2012mm	0.9mm	General	PCF
TCPCF0J476MOAR201U	47uF	+/-20%	6.3Vdc	200mohm	0805inch_2012mm	0.8mm	General	PCF
TCPCF0J476MRAR0150	47uF	+/-20%	6.3Vdc	150mohm	0805inch_2012mm	1mm	General	PCF
TCPCF1E335MOAR501U	3.3uF	+/-20%	25Vdc	500mohm	0805inch_2012mm	0.8mm	General	PCF
TCPCF1E475MRAR501S	4.7uF	+/-20%	25Vdc	500mohm	0805inch_2012mm	1mm	General	PCF
TCPCF38105MNAR0500	1uF	+/-20%	38Vdc	500mohm	0805inch_2012mm	0.9mm	General	PCF
TCPFT0J107MAAR550S	100uF	+/-20%	6.3Vdc	55mohm	1206inch_3216mm	1mm	General	PFT
TCPFT1C226MAAR301U	22uF	+/-20%	16Vdc	300mohm	1206inch_3216mm	0.8mm	General	PFT